

PFLUEGER®

2024 PRODUCT CATALOG







- 11 Bearing System
- XCR Ball Bearings
- Magnesium Frame
- Skeletonized Spool
- Sealed Carbon Drag
- Carbon Handle
- Machined Aluminum Main Gear
- Titanium Main Shaft
- Total Line Control System



Patriarch™

The newly designed Pflueger® Patriarch® is truly "The Smart Choice™" in lightweight performance. The new Patriarch is designed to be lighter while adding features like sealed carbon fiber drags. A magnesium body paired with a titanium main shaft keep the reel light while still maintaining its strength. The Total Line Control System and braid ready spool gives anglers complete control over their line, including difficult-to-manage fluorocarbon. Fish a Patriarch® and understand why anglers have trusted Pflueger® for over 130 years!

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PARSP25X	1543205	110 yd. / 4 lb.	110 yd. / 6 lb.	8 lb.	6.2:1	27"	6.0 oz.
PARSP30X PFL	1543206	120 yd. / 6 lb.	115 yd. / 8 lb.	10 lb.	6.2:1	31"	6.5 oz.
PARSP35X PFL	1543207	140 yd. / 8 lb.	150 yd. / 10 lb.	12 lb.	6.2:1	35"	7.6 oz.

- 11 Bearing System
- Magnesium Frame
- Machined Aluminum Braid Ready Spool
- Sealed Carbon Drag
- Carbon Handle
- Machined Aluminum Main Gear
- Slow Oscillation

Supreme^{XT}

The Supreme XT Delivers years of quality performance. Its super-lightweight magnesium frame and carbon rotor, machined aluminum gear, braid-ready aluminum spool, and sealed carbon drag are perfect for all freshwater fishing situations.



Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
SUPXTSP25X	1543201	110 yd. / 4 lb.	140 yd. / 6 lb.	8 lb.	5.2:1	22.4"	6.0 oz.
SUPXTSP30X	1543202	145 yd. / 6 lb.	190 yd. / 8 lb.	10 lb.	5.2:1	25.3"	6.5 oz.
SUPXTSP35X	1543203	185 yd. / 8 lb.	220 yd. / 10 lb.	12 lb.	5.2:1	28.1"	7.6 oz.
SUPXTSP40X	1543204	230 yd. / 10 lb.	280 yd. / 14 lb.	15 lb.	5.2:1	31.6"	8.2 oz.

- 10 Bearing System
- Magnesium Frame
- Machined Aluminum Braid Ready Spool
- Sealed Drag
- Aluminum Handle
- Machined Aluminum Main Gear
- Slow Oscillation

Supreme

The Supreme spinning reel is the perfect choice in lightweight performance. Its super-lightweight, magnesium frame and carbon rotor, machined aluminum gear, braid-ready aluminum spool, and sealed drag make this reel ideal for all freshwater fishing situations.



Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
SUPSP25X	1543127	110 yd. / 4 lb.	140 yd. / 6 lb.	8 lb.	5.2:1	22.4"	6.4 oz.
SUPSP30X	1543128	145 yd. / 6 lb.	190 yd. / 8 lb.	10 lb.	5.2:1	25.3"	6.9 oz.
SUPSP35X	1543199	185 yd. / 8 lb.	220 yd. / 10 lb.	12 lb.	5.2:1	28.1"	8.2 oz.
SUPSP40X	1543200	230 yd. / 10 lb.	280 yd. / 14 lb.	15 lb.	5.2:1	31.6"	8.8 oz.

- 10 Bearing System
- 20 Size is a 7 Stainless Steel Ball Bearing System
- Carbon Body
- Machined Aluminum Main Gear
- Aluminum Main Shaft
- Total Line Control System
- Machined Aluminum Braid Ready Spool
- Slow Oscillation



President^{XT}®

The President XT® spinning reels take the President® to the next level of performance. Smooth and reliable operation is driven by a 10 bearing system (20 size is a 7 bearing system) and machined aluminum main gear while the carbon body provides a lightweight, yet strong platform. The President XT® also features an aluminum, braid ready spool and the Total Line Control System which improves line lay and minimizes line twist allowing anglers to fish easily with all types of fishing line.

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PRESXT20	1593345 Box / 1611280 Clam	100 yd. / 4 lb.	125 yd. / 6 lb.	6 lb.	5.2:1	20.2"	5.4 oz.
PRESXT25	1593346 Box / 1611281 Clam	110 yd. / 4 lb.	140 yd. / 6 lb.	8 lb.	6.2:1	26.7"	7.0 oz.
PRESXT30	1593347 Box / 1611282 Clam	145 yd. / 6 lb.	190 yd. / 8 lb.	10 lb.	6.2:1	30.2"	7.7 oz.
PRESXT35	1593348 Box / 1611283 Clam	185 yd. / 8 lb.	220 yd. / 10 lb.	12 lb.	6.2:1	33.5"	9.0 oz.
PRESXT40	1593499 Box / 1611284 Clam	230 yd. / 10 lb.	280 yd. / 14 lb.	14 lb.	6.2:1	37.7"	9.7 oz.

- 10 Bearing System
- 20 Size is a 7 Stainless Bearing System
- Lightweight Graphite Body and Rotor
- Aluminum Braid Ready Spool
- Total Line Control System
- Slow Oscillation
- Aluminum Handle
- Soft Touch Handle Knob



President[®]

The Pflueger President continues to be “The Smart Choice™” in performance and value. The President features a lightweight graphite body and rotor, an aluminum braid-ready spool, and an aluminum handle with a soft touch handle knob. Smooth and reliable performance is driven by the 9+1* stainless steel bearing system (20 size is 6+1 SS Bearings) and the Total Line Control System which reduces line twists, wind knots and provides exceptional line management for all types of line.

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PRES20	1591975 Box / 1591976 Clam	100 yd. / 4 lb.	125 yd. / 6 lb.	6 lb.	5.2:1	20.2"	6.2 oz.
PRES25	1591977 Box / 1591978 Clam	110 yd. / 4 lb.	140 yd. / 6 lb.	8 lb.	5.2:1	22.4"	8.1 oz.
PRES30	1591979 Box / 1591980 Clam	145 yd. / 6 lb.	190 yd. / 8 lb.	10 lb.	5.2:1	25.3"	8.8 oz.
PRES35	1591981 Box / 1591982 Clam	185 yd. / 8 lb.	220 yd. / 10 lb.	12 lb.	5.2:1	28.1"	10.4 oz.
PRES40	1591983 Box / 1591984 Clam	230 yd. / 10 lb.	280 yd. / 14 lb.	14 lb.	5.2:1	31.6"	11.0 oz.

- 10 Bearing System
- Lightweight Graphite Body and Rotor
- Aluminum Braid Ready Spool
- Total Line Control System
- Slow Oscillation
- Aluminum Handle
- Soft Touch Handle Knob



President[®] LE

The Pflueger President Ladies Edition continues to be "The Smart Choice™" in performance and value. The President LE features a lightweight graphite body and rotor, an aluminum braid-ready spool, and an aluminum handle with a soft touch handle knob. Smooth and reliable performance is driven by the 9+1 stainless steel bearing system and the Total Line Control System which reduces line twists, wind knots and provides exceptional line management for all types of line.

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PRESLE25X	1594569	110 yd. / 4 lb.	140 yd. / 6 lb.	8lb	5.2:1	22.4"	8.1 oz.
PRESLE30X	1594570	145 yd. / 6 lb.	190 yd. / 8 lb.	10lb	5.2:1	25.3"	8.8 oz.
PRESLE35X	1594571	185 yd. / 8 lb.	220 yd. / 10 lb.	12lb	5.2:1	28.1"	10.4 oz.

- 7 Bearing System
- Slow Oscillation Gearing
- Graphite Body and Rotor
- Aluminum Spool
- Stainless Steel Oil Felt Drag
- Aluminum Handle
- Soft Touch Handle Knob



Trion®

The Pflueger® Trion® spinning reels are the workhouse of the Pflueger product line-up. Performance and quality at an extremely high value. The Trion is truly "The Smart Choice™".

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
TRION35	1498330 Box / 1498331 Clam	185 yd. / 8 lb.	220 yd. / 10 lb.	12 lb.	5.2:1	28.1"	10.4 oz.
TRION40	1498332 Box / 1498333 Clam	230 yd. / 10 lb.	280 yd. / 14 lb.	14 lb.	5.2:1	31.6"	11.3 oz.



-
- 11 Bearing System
 - Graphite Frame and Sideplate
 - Precision Brass Gears
 - Externally Adjustable Magnetic Braking System
 - Aluminum Spool
 - Aluminum Handle
 - Premium Cork Handle Knobs
-



President^{XT}®

Pflueger President XT Low Profile Reels embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. Built on a graphite frame and sideplates, the President XT is lightweight, yet strong. Featuring a smooth 10+1 stainless steel bearing system, 15lbs of drag, and premium cork handle knobs, the President XT Low Profile Reels are perfect for a wide variety of techniques and applications.

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PRESXTLP	1593500 Box / 1593501 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.3 oz.
PRESXTLP-L	1593502 Box / 1593503 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.3 oz.
PRESXTLP-HS	1614478 Box / 1614479 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.3 oz.
PRESXTLPL-HS	1614480 Box / 1614481 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.3 oz.

- 7 Bearing System
- Graphite Frame and Sideplate
- Lightweight Graphite Reel Construction
- Aluminum Spool
- Aluminum Handle
- Precision Brass Gears
- Flipping Switch on President LP-F model



President®

Pflueger President Low Profile Reels embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. Built on a graphite frame and sideplates, the President is lightweight, yet strong. Featuring a smooth 6+1 stainless steel bearing system, 15lbs of drag, and easy to adjust magnetic braking system, the President Low Profile Reels are perfect for a wide variety of techniques and applications.

Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PFLPRESLP	1591985 Box / 1591986 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.9 oz.
PFLPRESLP-L	1591987 Box / 1591988 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.9 oz.
PFLPRESLP-F	1613999 Box / 1630933 Clam	130 yd. / 12 lb.	125 yd. / 30 lb.	15 lb.	6.5:1	28"	7.9 oz.

- 5 Bearing System
- Lightweight Graphite Frame and Sideplate
- Machined Aluminum Spool
- Externally Adjustable Magnetic Braking System
- 90mm Bowed Aluminum Handle
- Oversized Handle Knobs

Monarch™

Pflueger Monarch low profile reels are “The Smart Choice™” for anglers looking for a high quality product at an affordable price. The Monarch low profile reel features a lightweight graphite frame and body, machined aluminum spool, and a 90mm bowed aluminum handle with oversized knobs. Paired with 15lbs of max drag the Pflueger Monarch packs performance in an affordable package.



Model #	SAP #	Capacity: Mono	Capacity: Braid	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
MON61LP	1593807 Box / 1596037 Clam	145 yd. / 12 lb.	140 yd. / 30 lb.	15 lb.	6.1:1	26"	8.2 oz.
MON61LP-L	1593808 Box / 1596038 Clam	145 yd. / 12 lb.	140 yd. / 30 lb.	15 lb.	6.1:1	26"	8.2 oz.

- 5 Bearing System
- Aluminum Frame
- Aluminum Cone
- Dual Titanium Pins
- Instant Anti-Reverse
- Spool Applied Drag
- Aluminum Handle
- Soft Touch Handle Knob

President®

The President Spincast Reel boasts premium components and features, making it “The Smart Choice” in spincast reels. The President Spincast reel features a machined aluminum body and cone to ensure precise gear alignment and durability. A smooth, 5-bearing system ensures effortless retrieves.



Model #	SAP #	Capacity: Mono	Max Drag	Gear Ratio	Inches-Per-Turn	Weight
PRES6USCX	1594572	90 yd. / 6 lb.	6 lb.	3.4:1	14.5"	9.0 oz.
PRES6SCX	1594573	90 yd. / 6 lb.	6 lb.	3.4:1	14.5"	8.6 oz.
PRES10SCX	1594574	75 yd. / 10 lb.	10 lb.	3.4:1	18.5"	11.2 oz.
PRES10SCB	1594575	75 yd. / 10 lb.	10 lb.	3.4:1	18.5"	11.2 oz.



J. FLUEGER®

President®

- 24/30 Ton Graphite Rod
- Stainless Steel Guides with Zirconium Inserts
- Premium Grade Split Cork Handles
- Custom Pflueger Reel Seat
- Double foot hook keeper for all bait applications



President^{XT}®

Pflueger President XT Rods embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. These rods are light and sensitive in the hand, featuring a blend of 24 and 30 ton graphite blank, split cork grip and Stainless Steel guides with Zirconia inserts. With a wide variety of lengths and actions the President XT family of rods are perfect for a wide variety of techniques.

Model #	SAP #	Power	Length	Pieces	Lure Weight	Rear Grip Length
PFLPXT56UL-MFS2	1614303	Ultra Light	5'6"	2	1/32-3/16	170mm
PFLPXT59MH-MFS2	1614304	Medium Heavy	5'9"	2	1/4-1	200mm
PFLPXT60L-MFS2	1614305	Light	6'	2	1/16-1/4	200mm
PFLPXT60ML-XFS	1614306	Medium Light	6'	1	1/16-3/8	220mm
PFLPXT60M-FS	1614307	Medium	6'	1	1/8-1/2	220mm
PFLPXT66ML-XFS	1614308	Medium Light	6'6"	1	1/16-3/8	240mm
PFLPXT66ML-XFS2	1614309	Medium Light	6'6"	2	1/16-3/8	240mm
PFLPXT66M-FS	1614310	Medium	6'6"	1	1/8-1/2	240mm
PFLPXT66M-FS2	1614311	Medium	6'6"	2	1/8-1/2	240mm
PFLPXT66MH-XFS2	1614312	Medium Heavy	6'6"	2	1/4-3/4	240mm
PFLPXT70ML-XFS	1614313	Medium Light	7'	1	1/16-3/8	240mm
PFLPXT70ML-FS2	1614314	Medium Light	7'	2	1/16-3/8	240mm
PFLPXT70M-XFS	1614315	Medium	7'	1	1/8-1/2	240mm
PFLPXT70M-XFS2	1614316	Medium	7'	2	1/8-1/2	240mm
PFLPXT70MH-XFS	1614317	Medium Heavy	7'	1	1/4-3/4	240mm
PFLPXT86M-MS2	1614318	Medium	8'6"	2	3/8-1	290mm
PFLPXT66M-XFC	1614319	Medium	6'6"	1	1/8-5/8	250mm
PFLPXT66M-XFC2	1614320	Medium	6'6"	2	1/8-5/8	250mm
PFLPXT70M-XFC	1614321	Medium	7'	1	1/8-5/8	250mm
PFLPXT70MH-XFC	1614322	Medium Heavy	7'	1	1/4-1	250mm
PFLPXT70MH-XFC2	1614323	Medium Heavy	7'	2	1/4-1	250mm



-
- 10 Bearing System
 - Carbon Body
 - Machined Aluminum Main Gear
 - Aluminum Main Shaft
 - Total Line Control System
 - Machined Aluminum Braid Ready Spool
 - 24/30 Ton Graphite Rod
 - Premium Grade Split Cork Handles
-



President^{XT}®

Pflueger President XT Spinning Combos embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. These combos are light and sensitive in the hand, featuring a blended 24/30 ton graphite blank, President XT Spinning reel with a CNC machined gear system and 10 bearing system. With a wide variety of lengths and actions the President XT Spinning Combos of rods are perfect for a wide variety of species and techniques.

Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel Size	Capacity: Mono
PFLPXT66M2/30	1614132	Medium	6'6"	2	1/8-1/2	30	145 yd. / 6 lb.
PFLPXT66M/30	1614133	Medium	6'6"	1	1/8-1/2	30	145 yd. / 6 lb.
PFLPXT70M2/35	1614134	Medium	7'	2	1/8-1/2	35	185 yd. / 8 lb.
PFLPXT70M/35	1614135	Medium	7'	1	1/8-1/2	35	185 yd. / 8 lb.
PFLPXT66ML2/30	1614136	Medium Light	6'6"	2	1/16-3/8	30	145 yd. / 6 lb.
PFLPXT66ML/30	1614137	Medium Light	6'6"	1	1/16-3/8	30	145 yd. / 6 lb.

- 10 Bearing System
- 20 Size is a 7 Bearing System
- Lightweight Graphite Body and Rotor
- Aluminum Braid Ready Spool
- Total Line Control System
- Slow Oscillation
- Aluminum Handle
- Soft Touch Handle Knob

President®

The Pflueger President Spinning Combo continues to be “The Smart Choice™” in performance and value. The President Spinning Reel features a lightweight graphite body and rotor, an aluminum braid-ready spool, and an aluminum handle with a soft touch handle knob.



Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel Size	Capacity: Mono
PRESSP-4820UL2	1591999	Ultra Light	4'8"	2	1/32-1/4	20	100 yd. / 4 lb.
PRESSP-5025UL	1592000	Ultra Light	5'0"	1	1/32-1/4	25	110 yd. / 4 lb.
PRESSP-5625L	1592001	Light	5'6"	1	1/16-3/8	25	110 yd. / 4 lb.
PRESSP-6030ML	1592002	Medium Light	6'0"	1	1/8-5/8	30	145 yd. / 6 lb.
PRESSP-6625L2	1592004	Light	6'6"	2	1/16-3/8	25	110 yd. / 4 lb.
PRESSP-6630M	1592003	Medium	6'6"	1	1/4-3/4	30	145 yd. / 6 lb.
PRESSP-6630M2	1592005	Medium	6'6"	2	1/4-3/4	30	145 yd. / 6 lb.
PRESSP-6930ML	1592006	Medium Light	6'9"	1	1/8-5/8	30	145 yd. / 6 lb.
PRESSP-6930ML2	1592007	Medium Light	6'9"	2	1/8-5/8	30	145 yd. / 6 lb.
PRESSP-7035	1592008	Medium	7'0"	1	1/4-3/4	35	185 yd. / 8 lb.

- 7 Bearing System
- 20 Size is a 5 Bearing System
- Slow Oscillation Gearing
- Lightweight, durable aluminum spool
- I-M6 Graphite Blank
- Stainless Steel Guides

Trion®

The Pflueger® Trion® spinning reels and combos are the workhouse of the Pflueger product line-up. Performance and quality at an extremely high value. The Trion is truly “The Smart Choice™”.



Model #	SAP #	Power	Length	Pieces	Reel	Capacity: Mono
TRIONSP5020ULCBO	1498334	Ultra Light	5'0"	1	20	100 yd. / 4 lb.
TRIONSP625LCBO	1498335	Light	5'6"	1	25	110 yd. / 4 lb.
TRIONSP6030MLCBO	1498336	Medium Light	6'0"	1	30	145 yd. / 6 lb.
TRIONSP6625L2CB	1498339	Light	6'6"	2	25	110 yd. / 4 lb.
TRIONSP6630M2CBO	1498338	Medium	6'6"	2	30	185 yd. / 8 lb.
TRIONSP6630MCBO	1498337	Medium	6'6"	1	30	185 yd. / 8 lb.
TRIONSP7035MCBO	1498340	Medium	7'0"	1	35	230 yd. / 10 lb.

- 7 Bearing System
- Lightweight Graphite Body and Rotor
- Aluminum Braid Ready Spool
- Total Line Control System
- Slow Oscillation
- Aluminum Handle
- Soft Touch Handle Knob

Lady Trion™

Designed specifically with women anglers in mind, the Pflueger® Lady Trion® spinning combo features custom grip lengths, proper size reels, and specific actions that make fishing more enjoyable for women.



Model #	SAP #	Power	Length	Pieces	Reel	Capacity: Mono
TRIONSPL6630M2CBO	1498342	Medium	6'6"	2	35	185 yd. / 8 lb.
TRIONSPL61035MCBO	1498343	Medium	6'10"	1	30	145 yd. / 6 lb.

- 5 Bearing System
- Graphite Body and Rotor
- Aluminum Bail
- I-M6 Graphite
- Stainless Steel Guides

Monarch™

Looking for a product that will perform day in and day out, but not break the bank? Look no further than this Pflueger® combo, offering one of the best quality products on the market at a value price. "The Smart Choice®".



Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
MONSP6030ML2CBO	1371151	Medium Light	6'	2	1/16-1/4	30	140 yd. / 6 lb.
MONSP6630M2CBO	1371152	Medium	6'6"	2	1/8-5/8	30	140 yd. / 6 lb.
MONSP7035M2CBO	1371153	Medium	7'	2	1/8-5/8	35	210 yd. / 10 lb.
MONSP5620UL2CBO	1371154	Ultra Light	5'6"	2	1/16-3/8	20	110 yd. / 4 lb.
MONSP7025UL2CBO	1371156	Ultra Light	7'	2	1/16-3/8	25	120 yd. / 4 lb.

- 11 Bearing System
- Graphite Frame and Sideplate
- Precision Brass Gears
- Aluminum Spool
- Aluminum Handle
- Premium Cork Knobs
- 24/30 Ton Graphite Rod
- Premium Grade Split Cork Handles



President^{XT}®

Pflueger President XT Baitcast Combos embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. Featuring the lightweight, 10+1 SS bearing President XT Low Profile Reel and a perfectly balanced 24/30 ton blend graphite blank with cork split grips, the President XT Baitcast Combo is perfect for a wide variety of techniques and applications.

Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
PFLPXT70MH/LP	1614138	Medium Heavy	7'	1	1/4-1	LP	130 yd. /12 lb.
PFLPXT70MH/LPL	1614139	Medium Heavy	7'	1	1/4-1	LP	130 yd. /12 lb.

- 7 Bearing System
- Graphite Frame and Sideplate
- Aluminum Spool
- Aluminum Handle
- Precision Brass Gears
- Flipping Switch on President LP-F model
- Lightweight graphite composite blank with full cork handle



President[®]

Pflueger President Baitcast Combos embody the rich tradition, performance, and quality that Pflueger has been known for since 1881. Built on a graphite frame and sideplates, the President is lightweight, yet strong. Featuring a smooth 6+1 stainless steel bearing system, 15lbs of drag, and easy to adjust magnetic braking system, paired with a lightweight and sensitive graphite composite blank, the President Baitcast Combos are perfect for a wide variety of techniques and applications.

Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
PRESLP-F/701M	1592009	Medium	7'	1	1/4-3/4	LP	130 yd. /12 lb.
PRESLP/701MH	1592011	Medium Heavy	7'	1	3/8-1	LP	130 yd. /12 lb.
PRESLP-L/701MH	1592012	Medium Heavy	7'	1	3/8-1	LP	130 yd. /12 lb.

- 5 Bearing System
- Lightweight Graphite Frame and Sideplate
- Machined Aluminum Spool
- Externally Adjustable Magnetic Braking System
- 90mm Bowed Aluminum Handle
- Oversized Handle Knobs
- Lightweight Composite Blank for sensitivity and strength
- Lightweight Split Grip Handle Design

Monarch™

Pflueger Monarch Baitcast Combos are “The Smart Choice™” for anglers looking for a high quality product at an affordable price. The Monarch low profile reel features a lightweight graphite frame and body, machined aluminum spool, and a 90mm bowed aluminum handle with oversized knobs, and 15lbs of max drag.



Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
MON61LP/701MH	1594111	Medium Heavy	7'0"	1	3/8-3/4	LP	145 yd. / 12 lb.
MON61LP/702MH	1610149	Medium Heavy	7'0"	2	3/8-3/4	LP	145 yd. / 12 lb.
MON61LP-L/701MH	1594112	Medium Heavy	7'0"	1	3/8-3/4	LP	145 yd. / 12 lb.
MON61LP-L/702MH	1611279	Medium Heavy	7'0"	2	3/8-3/4	LP	145 yd. / 12 lb.

- 7 Bearing System
- Lightweight, durable aluminum spool
- I-M6 Graphite Blank
- Stainless Steel Guides

Lady Trion™

Designed specifically for women anglers. Custom grip lengths, proper size reels, and specific actions that make fishing more enjoyable for women anglers.



Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
TRILPL63MCBO	1294314	Medium	6'3"	1	1/8-5/8	LP	150 yd. / 12 lb.

- 5 Bearing System
- Aluminum Frame
- Aluminum Cone
- I-M8 Graphite
- Stainless Steel Guides
- Cork Handle with full grip design

President®

President Spincast Combos are “The Smart Choice” for anglers looking for a premium spincast combo. Featuring a machined aluminum body and spool, a smooth 5 bearing system for effortless operation. Paired with a lightweight and sensitive rod with a full cork grip, the President Spincast Combo provides both performance and value.



Model #	SAP #	Power	Length	Pieces	Lure Weight	Reel	Capacity: Mono
PRESSC-661M2	1594113	Medium	6'6"	2	1/4-3/4	10	75 yd. /10 lb.

- Machined Aluminum Frame and Spool
- Standard Arbor
- Click and Pawl
- Polymer Handle
- Left/Right Hand Retrieve
- Quick Release
- Reel Pouch

MEDALIST

Relaunching America's most iconic fly reel. The new Pflueger® Medalist standard arbor fly reel, redesigned with full machined aluminum construction and multi-position click and pawl system. A modern classic.



Model #	SAP #	Line Size	Capacity	Weight	Diameter
MED34X	1370768	3/4	WF3+75 yd.	4.6 oz.	2.87"
MED56X	1370769	5/6	WF5+125 yd.	5.4 oz.	3.19"
MED78X	1370770	7/8	WF7+250 yd.	7.6 oz.	3.86"

- Die Cast Aluminum
- Standard Arbor
- Click and Pawl (3/4 & 5/6 models)
- Disc Drag (7/8 model)
- Polymer Handle
- Left/Right Hand Retrieve
- Quick Release Spool

Monarch™

The Pflueger® Monarch is our entry level standard arbor fly reel that can be used with confidence. Constructed of very high quality die-cast aluminum, this classic styled reel is lightweight and extremely durable.



Model #	SAP #	Line Size	Capacity	Weight	Diameter
MON34X	1410126	3/4	WF4+75 yd.	3.6 oz.	2.75"
MON56X	1410127	5/6	WF6+80 yd.	4.9 oz.	3.11"
MON78X	1410128	7/8	WF8+160 yd.	5.6 oz.	3.38"

- Aluminum Alloy Frame and Spool
- Stainless Steel Main Spring
- Main spring release and fold down trigger for easy storage



AUTOMATIC

Pflueger® Automatic fly reel offers easy one-handed operation for use in boats where you need a free hand to paddle or pole. The Pflueger Automatic has a line trigger that winds in line with just a quick pull for a no-hassle way to reel in line.

Model #	SAP #	Line Size	Weight
1195X	1149988	7/8	11.2 oz.
1195B	1149987	7/8	11.2 oz.

- 8' three piece 5/6 weight fly rod with cork grip
- 1094 Graphite Fly Reel
- 25 yards of level fly line
- 4x Tapered Leader
- Braided Dacron Backing

PFLUEGER FLY KIT

A great starter kit for anglers just getting into fly fishing.



Model #	SAP #	Rod Length	Rating	Handle	Reel Size
PfYKIT2	1280280	8'0"	#5	RHW	5/6

*P***FLUEGER**[®]

WWW.PFLUEGERFISHING.COM
7 SCIENCE COURT - COLUMBIA SC 29203
PURE FISHING, INC.