

2024 SEA CATALOGUE



The image features a dramatic sunset scene with a sky filled with golden and orange clouds. The sun is partially obscured by a dark silhouette of a forest line. In the foreground, the dark water of a lake or sea is visible. The Abu Garcia logo, consisting of a red parallelogram with a white horizontal line, is positioned to the left of the brand name. The brand name 'Abu Garcia' is written in a bold, white, sans-serif font. Below it, the slogan 'Fish To Win' is written in a white, cursive script font.

 **Abu
Garcia**
Fish To Win™

PRODUCT SPECIFICATION

- **11 HPCR** + 1 IAR
- **1 PIECE MAGNESIUM ALLOY FRAME**
- C6 CARBON SIDE PLATE
- CARBON MATRIX DRAG SYSTEM
- **LINE OUT CLICKER**
- IVCB 4 BRAKE SYSTEM
- INFINI II SPOOL DESIGN
- AIRCRAFT ALUMINIUM GRADE MAIN GEAR
- **TITANIUM COATED LINE GUIDE**
- 90MM OFFSET CARBON HANDLE • EXTRA WIDE PADDLE KNOB



FRESHWATER SERIES
MAGNESIUM ALLOY
145 GRAM
LINE OUT CLICKER



SKU	REEL MODEL		WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	BRAKE TYPE	MAX DRAG	FRAME	SIDE PLATE	HANDLE	GEAR TYPE	BRAID LINE CAPACITY (PE)	MONO LINE CAPACITY
1552847	ZENON MG - X - L	Left	145 Gram	HPCR	10 + 1	6.8:1	IVCB 4	7 Kg	Magnesium Alloy	C6 Carbon	90mm Offset Carbon	AirCRAFT Aluminium	PE3 - 90M	14lb : 0.31mm / 100 m
1552846	ZENON MG - X	Right	145 Gram	HPCR	10 + 1	6.8:1	IVCB 4	7 Kg	Magnesium Alloy	C6 Carbon	90mm Offset Carbon	AirCRAFT Aluminium	PE3 - 90M	14lb : 0.31mm / 100 m

Revo® Premier Low Profile Reel

Redesigned from the ground up, *the 5th generation* of Revo® low profile reels have been designed to provide best-in-class precision, power, and performance.

The Revo Premier features an asymmetrical body design as well as our X2-Craftic™ alloy frame and sideplate to provide the ultimate balance in weight, strength, and ergonomics. The EXD Concept design allows anglers to maximize their casting performance while our IVCB-6 braking system gives anglers ultimate control with nearly limitless braking options.

With our D2 aluminum gear design, 95mm flat carbon handle, and up to 20lbs of Carbon Matrix drag, the Revo Premier has the torque and power you need in a workhorse reel.

PRODUCT SPECIFICATION

- 10 stainless steel ball bearings + 1 roller bearing provides smooth operation
- A-Symmetric body design allows for a more compact and ergonomic reel
- X2-Craftic™ alloy frame for increased strength and durability
- EXD Concept Design to maximize casting performance
- IVCB-6 braking system delivers precise external adjustments for a wide variety of baits allowing anglers to easily fine tune and maximize casting distance
- Carbon Matrix™ drag system provides smooth, consistent drag pressure across the entire drag range
- *Drag Clicker* - Smooth, audible drag feedback
- 110mm straight carbon fiber handle with oversized knobs for greater grip
- Duragear™ Gen II gear system provides a more efficient gear system while improving gear durability
- *GullWing™* Sideplate Design



**10KG MAX DRAG
WITH DRAG CLICKER**



AIR SPOOL DESIGN 11.4 GRAM



GULLWING™ SIDEPLATE DESIGN



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	BRAKE TYPE	FRAME	HANDLE TYPE	BRAID LINE CAPACITY	MONO LINE CAPACITY
1614084	REVO5 PRM LP-HS-L	187 Gram	HPCR	10+1	8.1:1	89 cm	Carbon Matrix	10 kg	IVCB - 6	X2 Craftic Alloy	110 mm Carbon	30lb / 125yds : 0.36mm / 115m	12lb / 130yds : 0.32mm / 120m

Delivering exceptional BFS performance the Revo® X BFS features a lightweight BFS concept spool and BFS tuned MagTrax braking system that allows anglers to efficiently present ultra-lightweight lures. Built on an ergonomic asymmetric C6 carbon frame, the Revo X BFS is lightweight, without sacrificing durability.

PRODUCT SPECIFICATION

- 7 stainless steel ball bearings + 1 roller bearing provides smooth operation
- C6 carbon sideplates reduces weight without sacrificing strength and durability
- MagTrax Braking System - Tuned for ultralight BFS Techniques
- Super lightweight BFS concept shallow spool design optimised for ultra lightweight techniques
- Carbon Matrix™ drag system provides smooth, consistent drag pressure across the entire drag range
- 90mm bowed Aluminum handle with oversized knobs for greater grip
- Duragear™ Gen II gear system provides a more efficient gear system while improving gear durability
- Co-molded handle knobs for increased grip and comfort



**9.1KG MAX DRAG
WITH DRAG CLICKER**

BFS SPOOL DESIGN

SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	BRAKE TYPE	FRAME	HANDLE TYPE	BRAID LINE CAPACITY	MONO LINE CAPACITY
1620420	REVO5 X-BFS-L	204 Gram	SS	7+1	7.3:1	76 cm	Carbon Matrix	9.1 kg	MagTrax	C6 Carbon	90 mm Aluminium	20lb / 45yds : 0.29mm / 45m	8lb / 55yds : 0.26mm / 50m

Revo® Revo® SX-SS Low Profile Reel

Redesigned from the ground up, the 5th generation of Revo low profile reels have been designed to provide best-in-class precision, power, and performance. Engineered to be the premier skipping, pitching and flipping reel in the Revo line, the Revo SX-SS features a lightweight shallow spool design and EXD Concept Design maximizes casting performance while our IVCB-6 braking system gives anglers ultimate control with nearly limitless braking options.

The Revo SX-SS also features an asymmetrical body design and X2-Craftic alloy frame for the ultimate balance in weight, strength and ergonomics.

Driven by a super high speed 8.1:1 gear ratio and 22lbs of Power Stack Carbon Matrix Drag and 90mm bowed aluminum handle, the Revo SX-SS has the torque and power to haul any bass out of the thickest cover.

PRODUCT SPECIFICATION

- 9 stainless steel ball bearings + 1 roller bearing provides smooth operation
- X2-Craftic™ alloy frame for increased strength and durability
- EXD Concept Design to maximize casting performance
- A-Symmetric body design allows for a more compact and ergonomic reel
- C6 carbon sideplates reduce weight without sacrificing strength and durability
- IVCB-6 braking system delivers precise external adjustments for a wide variety of baits allowing anglers to easily fine tune and maximize casting distance
- Power Stack Carbon Matrix Drag System™ provides extreme drag pressures combined with unparalleled smoothness
- 90mm bowed Aluminum handle with oversized knobs for greater grip
- Duragear™ Gen II gear system provides a more efficient gear system while improving gear durability
- Lightweight Shallow Spool Design allows for optimal skipping, pitching and flipping performance



**10KG MAX DRAG
WITH DRAG CLICKER**



SUPER SHALLOW SPOOL DESIGN

POWER STACK CARBON MATRIX DRAG SYSTEM™ PROVIDES EXTREME DRAG PRESSURES COMBINED WITH UNPARALLELED SMOOTHNESS



X2-CRAFTIC™ ALLOY FRAME FOR INCREASED STRENGTH AND DURABILITY



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	BRAKE TYPE	FRAME	HANDLE TYPE	BRAID LINE CAPACITY	MONO LINE CAPACITY
1593710	REVO5 SX-SS-L	216 Gram	SS	9+1	8.1:1	89 cm	Power Stack Carbon Matrix	10 kg	IVCB - 6	X2-Craftic Alloy	90 mm Aluminium	30lb / 55yds : 0.36mm / 50m	10lb / 70yds : 0.29mm / 65m

New Abu Garcia engineering with MAXimum performance with the Abu Garcia Promax SX baitcast reels. New improved feature with custom light weight knobs and new 90 mm carbon handle arm for increased comfort, a 7+1 bearing system for ultimate smoothness, and Duragear™ Brass gear for durability.

Giving you MAXimum value for money!

PRODUCT SPECIFICATION

- 7 stainless steel ball bearings + 1 roller bearing
- One-piece graphite frame
- Graphite side plate
- Machined aluminum spool with groove for anti-line slip
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact carbon bent handle and aluminium star
- Recessed reel foot
- Custom light weight knob design



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	BRAKE TYPE	FRAME	MAIN GEAR	HANDLE TYPE	BRAID LINE CAPACITY	MONO LINE CAPACITY
1624523	PMAX SX-L LP	183 Gram	SS	7+1	7.1:1	71 cm	Power Disc	8 kg	MagTrax	Graphite	Brass Gear	Carbon	PE 3.0 - 100m	12lb / 125yds : 0.31mm / 115m

New Abu Garcia engineering with MAXimum performance with the Abu Garcia Blackmax SX baitcast reels. New improved feature with custom light weight knobs and new 90 mm handle arm for increased comfort, a 4+1 bearing system for ultimate smoothness, and Duragear Brass gear for durability.

Giving you MAXimum value for money!

PRODUCT SPECIFICATION

- 4 stainless steel ball bearings + 1 roller bearing
- One-piece graphite frame
- Graphite side plate
- Machined aluminum spool with groove for anti-line slip
- Power Disk™ drag system
- Duragear™ brass gear
- MagTrax™ brake system
- Compact bent aluminium handle and graphite star
- Recessed reel foot
- Custom light weight knob design



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	BRAKE TYPE	FRAME	MAIN GEAR	HANDLE TYPE	BRAID LINE CAPACITY	MONO LINE CAPACITY
1624521	BMAX SX-L LP	194 Gram	SS	4+1	6.4:1	64 cm	Power Disc	8 kg	MagTrax	Graphite	Brass Gear	Aluminium	PE 3.0 - 100m	12lb / 125yds : 0.31mm / 115m

MAX X BLACK OPS—SPINNING REEL SERIES

PRODUCT SPECIFICATION



- 3+1 STAINLESS STEEL BEARING
- FULL TIME ANTI REVERSE
- ROCKET SPOOL LIP DESIGN
- ROCKET LINE MANAGEMENT
- EVERLAST BAIL SYSTEM
- SLOW OSCILLATION
- LIGHT WEIGHT GRAPHITE BODY & ROTOR
- TRIPLE BLACK EDITION

SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	GEAR TYPE	Line Retrieve	BRAID LINE CAPACITY (M/MM)	MONO LINE CAPACITY (M/MM)
1612329	Black OPS SP 20FD	SS	3+1	5.1	220 Gram	Fiber	3.2Kg	Graphite	Alloy	Alloy	63cm	170M / 0.15MM	120M / 0.25MM
1612330	Black OPS SP 30FD	SS	3+1	5.1	250 Gram	Fiber	6.4Kg	Graphite	Alloy	Alloy	63cm	160M / 0.17MM	150M / 0.28MM
1612331	Black OPS SP 40FD	SS	3+1	5.1	279 Gram	Fiber	6.4Kg	Graphite	Alloy	Alloy	74cm	190M / 0.20MM	185M / 0.30MM

The Max Elite Spinning Reel delivers unparalleled performance in a lightweight package. Inspired by the Revo® and Zenon™ series of spinning reels, the Max Elite features an incredibly compact and lightweight asymmetric C6 carbon frame design. Smooth and reliable performance is driven by a CNC Machined Gear System and 9+1 stainless steel bearings. A smooth Carbon Matrix drag system provides consistent performance while the Rocket Line Management™ system ensures superior line management.

MAX Elite



PRODUCT SPECIFICATION

- 9 stainless steel ball bearings + 1 roller bearing provides smooth operation
- A-Symmetric Carbon Frame and Rotor provides a lightweight and compact platform
- AMG 2 gearing system provides precision machined gears for unparalleled smoothness and durability
- V-Rotor system allows for a more compact, weight reducing rotor design and provides ultra-low start up inertia
- V-Spool Design for a more compact, lighter weight spool
- Carbon Matrix™ drag system provides smooth, consistent drag pressure across the entire drag range
- Rocket Line Management™ system provides better control of all types of fishing lines
- Rocket Spool Lip Design™ allows better control of line coming off the spool
- Machined aluminum braid ready spool allows braid to be tied directly to the spool without any slip
- Tubular Carbon Fiber handle with soft touch handle knob



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	FRAME	ROTOR	MAIN GEAR	HANDLE	HANDLE KNOB	BRAID LINE CAPACITY	MONO LINE CAPACITY
1609829	MAX ELITE SP2000H		SS	9 + 1	6.2:1		Carbon Matrix	3.0 kg	Carbon	Carbon	AM G2	Tubular Carbon Screw in	FLAT	6lb / 150yds : 0.12mm / 135m	6lb / 110yds : 0.2mm / 140m
1609830	MAX ELITE SP2500H	218 Gram	SS	9 + 1	6.2:1	83cm	Carbon Matrix	3.2 kg	Carbon	Carbon	AM G2	Tubular Carbon Screw in	FLAT	8lb / 190yds : 0.15mm / 170m	8lb / 130yds : 0.25mm / 120m
1609831	MAX ELITE SP3000H	221 Gram	SS	9 + 1	6.2:1	89cm	Carbon Matrix	6.4 kg	Carbon	Carbon	AM G2	Tubular Carbon Screw in	FLAT	10lb / 180yds : 0.17mm / 160m	10lb / 140yds : 0.30mm / 130m
1609832	MAX ELITE SP4000H	263 Gram	SS	9 + 1	6.2:1	96cm	Carbon Matrix	6.4 kg	Carbon	Carbon	AM G2	Tubular Carbon Screw in	FLAT	14lb / 210yds : 0.20mm / 190m	14lb / 150yds : 0.35mm / 135m
1630944	MAX ELITE SP6000	364 Gram	SS	9 + 1	5.2:1	88cm	Carbon Matrix	9.1 kg	Carbon	Carbon	AM G2	Tubular Carbon Screw in	ROUND	20lb / 200yds : 0.25mm / 220m	20lb / 150yds : 0.40mm / 140m

The Max X Spinning Reel leverages technology from the Zenon and Revo® line of spinning reels such as the asymmetric body design, allowing for a more compact reel. Featuring a 4+1 bearing system and Rocket Line Management the Max X Spinning Reel offers unparalleled performance.

MAX X



- 4 stainless steel ball bearings + 1 roller bearing provides smooth operation
- A-Symmetric Graphite Frame and Rotor provides a lightweight and compact platform
- Rocket Line Management™ system provides better control of all types of fishing lines
- Rocket Spool Lip Design™ allows better control of line coming off the spool
- Machined aluminum braid ready spool allows braid to be tied directly to the spool without any slip
- Aluminum handle with co-molded soft touch knobs for increased grip and comfort



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	FRAME	ROTOR	HANDLE	HANDLE KNOB	BRAID LINE CAPACITY	MONO LINE CAPACITY
1609797	MAX X SP750	180 Gram	SS	4 + 1	5.2:1	54cm	Carbon	2.9 kg	Graphite	Graphite	Screw in	FLAT	4lb / 160yds : 0.10mm / 150m	4lb / 100yds : 0.18mm / 100m
1609799	MAX X SP2000	219 Gram	SS	4 + 1	5.2:1	63cm	Carbon	2.9 kg	Graphite	Graphite	Screw in	FLAT	6lb / 150yds : 0.12mm / 135m	6lb / 110yds : 0.2mm / 140m
1609801	MAX X SP2500	230 Gram	SS	4 + 1	5.2:1	69cm	Carbon	3.2 kg	Graphite	Graphite	Screw in	FLAT	8lb / 190yds : 0.15mm / 170m	8lb / 130yds : 0.25mm / 120m
1609803	MAX X SP3000	235 Gram	SS	4 + 1	5.2:1	74cm	Carbon	6.4 kg	Graphite	Graphite	Screw in	FLAT	10lb / 180yds : 0.17mm / 160m	10lb / 140yds : 0.30mm / 130m
1609805	MAX X SP4000	264 Gram	SS	4 + 1	5.2:1	80cm	Carbon	6.4 kg	Graphite	Graphite	Screw in	FLAT	14lb / 210yds : 0.20mm / 190m	14lb / 150yds : 0.35mm / 135m
1630942	MAX X SP6000	389 Gram	SS	4 + 1	5.2:1	89cm	Carbon	9.1 kg	Graphite	Graphite	Screw in	ROUND	20lb / 200yds : 0.25mm / 220m	20lb / 150yds : 0.40mm / 140m

The Max SX Spinning Reel takes inspiration from the Revo® and Zenon series of spinning reels, leveraging the asymmetric design, V-Rotor and V-Spool to give anglers a very compact, lightweight spinning reel. A 6+1 stainless steel bearing system and Rocket Line Management provide smooth operation and superior line management.

MAX SX

- 6 stainless steel ball bearings + 1 roller bearing provides smooth operation
- A-Symmetric Graphite Frame and Rotor provides a lightweight and compact platform
- V-Rotor system allows for a more compact, weight reducing rotor design and provides ultra-low start up inertia
- V-Spool Design for a more compact, lighter weight spool
- Rocket Line Management™ system provides better control of all types of fishing lines
- Rocket Spool Lip Design™ allows better control of line coming off the spool
- Machined aluminum braid ready spool allows braid to be tied directly to the spool without any slip
- Aluminum handle with co-molded soft touch knobs for increased grip and comfort



SKU	REEL MODEL	WEIGHT	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE	BRAKE TYPE	MAX DRAG	FRAME	ROTOR	HANDLE	HANDLE KNOB	BRAID LINE CAPACITY	MONO LINE CAPACITY
1609809	MAX SX SP750	173 Gram	SS	6 + 1	5.2:1	54cm	Carbon	2.9 kg	Graphite	Graphite	Screw in	FLAT	4lb / 160yds : 0.10mm / 150m	4lb / 100yds : 0.18mm / 100m
1609811	MAX SX SP2000	213 Gram	SS	6 + 1	5.2:1	63cm	Carbon	2.9 kg	Graphite	Graphite	Screw in	FLAT	6lb / 150yds : 0.12mm / 135m	6lb / 110yds : 0.2mm / 140m
1609813	MAX SX SP2500	226 Gram	SS	6 + 1	5.2:1	69cm	Carbon	3.2 kg	Graphite	Graphite	Screw in	FLAT	8lb / 190yds : 0.15mm / 170m	8lb / 130yds : 0.25mm / 120m
1609815	MAX SX SP3000	230 Gram	SS	6 + 1	5.2:1	74cm	Carbon	6.4 kg	Graphite	Graphite	Screw in	FLAT	10lb / 180yds : 0.17mm / 160m	10lb / 140yds : 0.30mm / 130m
1609817	MAX SX SP4000	258 Gram	SS	6 + 1	5.2:1	80cm	Carbon	6.4 kg	Graphite	Graphite	Screw in	FLAT	14lb / 210yds : 0.20mm / 190m	14lb / 150yds : 0.35mm / 135m
1609807	MAX SX SP6000	389 Gram	SS	6 + 1	5.2:1	89cm	Carbon	9.1 kg	Graphite	Graphite	Screw in	ROUND	20lb / 200yds : 0.25mm / 220m	20lb / 150yds : 0.40mm / 140m

VERITAS NANO BC



PRODUCT SPECIFICATION

VERITAS NANO

- 24-Ton graphite construction for a lightweight and balanced design
- Rubber cork butt for better durability
- Custom Abu designed reel seat for greater comfort
- Custom Split grip handles
- K guide system for maximized casting distance



SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE STRIPPER	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (GRAM)
1580314	VE C562 MLA/23	CASTING	MEDIUM LIGHT	2PC	DOUBLE K	K GUIDES	7+1	105 Gram	FAST	5.6 FT	24 CM	SPLIT	EVA	6 - 14LB	5 - 17 GRAM
1580315	VE C602 MA/23	CASTING	MEDIUM	2PC	DOUBLE K	K GUIDES	8+1	112 Gram	FAST	6 FT	25 CM	SPLIT	EVA	8 - 20LB	7 - 24 GRAM
1580316	VE C632 MHA/23	CASTING	MEDIUM HEAVY	2PC	DOUBLE K	K GUIDES	8+1	128 Gram	FAST	6.3 FT	26 CM	SPLIT	EVA	12 - 25LB	10 - 30 GRAM

VERITAS NANO



VERITAS NANO

PRODUCT SPECIFICATION

- 24-Ton graphite construction for a lightweight and balanced design
- Rubber cork butt for better durability
- Custom Abu designed reel seat for greater comfort
- Custom Split grip handles
- K guide system for maximized casting distance



SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE STRIPPER	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (GRAM)
1580378	VE S562 MHA/23	SPINNING	MEDIUM HEAVY	2PC	SINGLE K - L	SINGLE K - L	5+1	116 Gram	FAST	5.6 FT	22 CM	SPLIT	EVA	10 - 20LB	8 - 25 GRAM
1580389	VE S602 MHA/23	SPINNING	MEDIUM HEAVY	2PC	SINGLE K - L	SINGLE K - L	6+1	130 Gram	FAST	6 FT	24 CM	SPLIT	EVA	12 - 25LB	8 - 30 GRAM
1580390	VE S662 HA/23	SPINNING	HEAVY	2PC	DOUBLE K	SINGLE K	6+1	158 Gram	FAST	6.6 FT	29 CM	SPLIT	EVA	15 - 30LB	14 - 60 GRAM

VERITAS NANO SPINNING EXTRA HEAVY



PRODUCT SPECIFICATION

- 24-Ton graphite construction for a lightweight and balanced design
- Rubber cork butt for better durability and balance
- Custom Abu designed reel seat for greater comfort
- Custom Short Split grip handles design
- Double leg K guide system for maximized casting distance

VERITAS NANO SPINNING EXTRA HEAVY



SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE STRIPPER	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (GRAM)
1580391	VE S702 XHA/23	SPINNING	EXTRA HEAVY	2PC	DOUBLE K	DOUBLE K	6+1	198 Gram	FAST	7 FT	34 CM	SHORT SPLIT	EVA	17 - 40LB	20 - 90 GRAM
1580392	VE S802 XHA/23	SPINNING	EXTRA HEAVY	2PC	DOUBLE K	DOUBLE K	6+1	215 Gram	FAST	8 FT	35 CM	SHORT SPLIT	EVA	17 - 40LB	20 - 90 GRAM




2024 VENGEANCE BC ROD SERIES – US MODEL

The updated Vengeance series of fishing rods delivers on-the-water performance and style in a balanced, lightweight design. Construction starts with a 24-ton intermediate modulus graphite blank that is paired with stainless steel guides. Split grip EVA handles ensure comfort and durability for the long haul. The Vengeance series of casting rods delivers excellent performance at a great value.

- 24-Ton graphite construction for a lightweight and balanced design
- Ergonomic Abu designed reel seats
- Stainless steel guides with aluminum oxide inserts
- Comfortable split grip EVA handles
- Texas-rigged hook keeper for all bait applications



SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE STRIPPER	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (OZ)	LURE WEIGHT (GRAM)	ROD BAG
1580679	VEN C66-5 Vengeance Rod-M	CASTING	MEDIUM	1 PC	DOUBLE	SINGLE	7+1	118 Gram	FAST	6.6 FT	22.5 CM	SPLIT	EVA	8 - 17LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580680	VEN C66-6 Vengeance Rod-MH	CASTING	MEDIUM HEAVY	1 PC	DOUBLE	SINGLE	7+1	130 Gram	FAST	6.6 FT	22.5 CM	SPLIT	EVA	12 - 20LB	3/8 - 1 OZ	10.5 - 28 GRAM	NO
1580681	VEN C69-6 Vengeance Rod-MH	CASTING	MEDIUM HEAVY	1 PC	DOUBLE	SINGLE	7+1		FAST	6.9 FT		SPLIT	EVA	12 - 20LB	3/8 - 1 OZ	10.5 - 28 GRAM	NO
1580682	VEN C70-5 Vengeance Rod-M	CASTING	MEDIUM	1 PC	DOUBLE	SINGLE	7+1		EXTRA FAST	7.0 FT		SPLIT	EVA	8 - 17LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580683	VEN CW70-5 Vengeance Rod-M Winch	CASTING	MEDIUM	1 PC	DOUBLE	SINGLE	7+1		MODERATE FAST	7.0 FT		SPLIT	EVA	8 - 17LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580684	VEN C70-6 Vengeance Rod-MH	CASTING	MEDIUM HEAVY	1 PC	DOUBLE	SINGLE	7+1		FAST	7.0 FT		SPLIT	EVA	12 - 20LB	3/8 - 1 OZ	10.5 - 28 GRAM	NO
1580685	VEN C73-6 Vengeance Rod-MH	CASTING	MEDIUM HEAVY	1 PC	DOUBLE	SINGLE	8+1		FAST	7.3 FT		SPLIT	EVA	12 - 20LB	3/8 - 1 OZ	10.5 - 28 GRAM	NO
1580686	VEN CF73-7 Vengeance Rod-H	CASTING	HEAVY	1 PC	DOUBLE	SINGLE	8+1		FAST	7.3 FT		SPLIT	EVA	12 - 25LB			NO
1580687	VEN C76-7 Vengeance Rod-H	CASTING	HEAVY	1 PC	DOUBLE	SINGLE	8+1		FAST	7.6 FT		SPLIT	EVA	12 - 25LB			NO



2024 VENGEANCE SPINNING ROD SERIES – US MODEL

The updated Vengeance series of fishing rods delivers on-the-water performance and style in a balanced, lightweight design. Construction starts with a 24-ton intermediate modulus graphite blank that is paired with stainless steel guides. Split grip EVA handles ensure comfort and durability for the long haul. The Vengeance series of casting rods delivers excellent performance at a great value.

- 24-Ton graphite construction for a lightweight and balanced design
- Ergonomic Abu designed reel seats
- Stainless steel guides with aluminum oxide inserts
- Comfortable split grip EVA handles
- Texas-rigged hook keeper for all bait applications



SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE STRIPPER	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (OZ)	LURE WEIGHT (GRAM)	ROD BAG
1580689	VEN S662-5 Abu Vengeance Rod-M	SPINNING	MEDIUM	2PC	SINGLE	SINGLE	7+1	123 Gram	FAST	6.6 FT	23 CM	SPLIT	EVA	6 - 12LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580692	VEN S702-5 Abu Vengeance Rod-M	SPINNING	MEDIUM	2PC	SINGLE	SINGLE	7+1		FAST	7 FT		SPLIT	EVA	6 - 12LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580688	VEN S66-5 Abu Vengeance Rod-M	SPINNING	MEDIUM	1PC	SINGLE	SINGLE	7+1		FAST	6.6 FT		SPLIT	EVA	6 - 12LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580690	VEN S69-4 Abu Vengeance Rod-ML	SPINNING	MEDIUM LIGHT	1PC	SINGLE	SINGLE	7+1		FAST	6.9 FT		SPLIT	EVA	6 - 10LB			NO
1580691	VEN S70-5 Abu Vengeance Rod-M	SPINNING	MEDIUM	1PC	SINGLE	SINGLE	7+1		FAST	7 FT		SPLIT	EVA	6 - 12LB	1/4 - 5/8 OZ	7 - 17.5 GRAM	NO
1580693	VEN S70-6 Abu Vengeance Rod-MH	SPINNING	MEDIUM HEAVY	1PC	SINGLE	SINGLE	7+1		FAST	7 FT		SPLIT	EVA	8 - 15LB			NO



PRODUCT SPECIFICATION

- 24-Ton graphite construction for a lightweight and balanced design
- X – Wrap for more recoil power
- Custom Abu designed reel seat for greater comfort
- Custom Split grip handles
- K guide system for maximized casting distance with lighter lures

SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (PE)	LURE WEIGHT (GRAM)
1589875	ZA C602 MA/23	CASTING	MEDIUM	2 PC	K GUIDES	8+1	120 Gram	EXTRA FAST	6 FT	25 CM	SPLIT	EVA / CORK	8 - 17LB	7 - 21 GRAM
1595163	ZA C662 MA/23	CASTING	MEDIUM	2 PC	K GUIDES	8+1	130 Gram	EXTRA FAST	6.6 FT	27 CM	SPLIT	EVA / CORK	8 - 17LB	7 - 21 GRAM
1595162	ZA C661 MA/23	CASTING	MEDIUM	1 PC	K GUIDES	8+1	130 Gram	EXTRA FAST	6.6 FT	27 CM	SPLIT	EVA / CORK	8 - 17LB	7 - 21 GRAM

ZATA™

READY FOR WHATEVER.

ZATA SPINNING ROD SERIES



PRODUCT SPECIFICATION

- 24-Ton graphite construction for a lightweight and balanced design
- X - Wrap for more recoil power
- Custom Abu designed reel seat for greater comfort
- Custom Split grip handles
- K guide system for maximized casting distance with lighter lures

SKU	DESCRIPTION	Type	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	LURE WEIGHT (GRAM)
1589874	ZA S602 MA/23	SPINNING	MEDIUM	2 PC	SINGLE K - L	7+1	122 Gram	EXTRA FAST	6 FT	26 CM	SPLIT	EVA / CORK	8 - 17LB	7 - 21 GRAM
1595160	ZA S662 MA/23	SPINNING	MEDIUM	2 PC	SINGLE K - L	7+1	128 Gram	EXTRA FAST	6.6 FT	28 CM	SPLIT	EVA / CORK	8 - 17LB	3.5 - 14 GRAM
1595159	ZA S661 MA/23	SPINNING	MEDIUM	1 PC	SINGLE K - L	7+1	125 Gram	EXTRA FAST	6.6 FT	28 CM	SPLIT	EVA / CORK	8 - 17LB	3.5 - 14 GRAM
1595161	ZA S701 MHA/23	SPINNING	MEDIUM HEAVY	1 PC	SINGLE K - L	7+1	140 Gram	EXTRA FAST	7 FT	30 CM	SPLIT	EVA / CORK	8 - 20LB	7 - 21 GRAM



LET THE BATTLE BEGIN™





SPINFISHER VII – SPINNING REEL SERIES

PENN SPINFISHER® VII SPINNING REEL

The PENN Spinfisher VII features IPX5 sealing so whether it gets hit with a wave, or you let it ride in the spray all the way home, you don't have to worry about saltwater getting into the gearbox or drag system.

A Full Metal Body and side plate keep the CNC Gear System in precise alignment under heavy loads.

Now with an improved line clip design to secure heavier line and leader in place to minimise loose line and tangles.



- **IPX5** Sealed body and spool design
- CNC Gear™ technology – all **brass main gear** across all sizes
- HT-100™ carbon fibre drag washers
- 5+1 sealed stainless steel ball bearing system
- Full Metal Body for added durability
- Superline Spool with Line Capacity Rings
- Improved line clip design to secure heavier line/leader



SKU	REEL MODEL		BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	MAIN GEAR	BRAID LINE CAPACITY (M/LB)		MONO LINE CAPACITY (M/MM)			
1594595	SSVII 2500	Penn SpinFisher VII Reel	SS	5+1	6.2	317 Gram	HT-100	6.8Kg	Full Metal	Alloy	T - Knob	BRASS	240/10	220/15	160/20	235/0.23	160/0.28	130 /0.31
1594596	SSVII 3500	Penn SpinFisher VII Reel	SS	5+1	6.2	356 Gram	HT-100	6.8Kg	Full Metal	Alloy	T - Knob	BRASS	310/10	270/15	220/20	330/0.23	240/0.28	180/0.31
1594597	SSVII 4500	Penn SpinFisher VII Reel	SS	5+1	6.2	367 Gram	HT-100	9.1Kg	Full Metal	Alloy	T - Knob	BRASS	390/15	320/20	250/30	390/0.25	290/0.28	215/0.33
1594599	SSVII 5500	Penn SpinFisher VII Reel	SS	5+1	5.6	539 Gram	HT-100	11.3Kg	Full Metal	Alloy	T - Round	BRASS	500/20	380/30	335/40	390/0.28	300/0.33	210/0.36
1594600	SSVII 6500	Penn SpinFisher VII Reel	SS	5+1	5.6	632 Gram	HT-100	13.6Kg	Full Metal	Alloy	T - Round	BRASS	485/30	410/40	335/50	355/0.33	315/0.36	185/0.38
1594602	SSVII 7500	Penn SpinFisher VII Reel	SS	5+1	4.7	751 Gram	HT-100	15.8Kg	Full Metal	Alloy	T - Round	BRASS	530/40	440/50	400/65	450/0.36	300/0.38	200/0.46
1594603	SSVII 8500	Penn SpinFisher VII Reel	SS	5+1	4.7	790 Gram	HT-100	18.1Kg	Full Metal	Alloy	T - Round	BRASS	730/40	600/50	555/65	415/0.46	280/0.56	240/0.61
1594604	SSVII 9500	Penn SpinFisher VII Reel	SS	5+1	4.2	1050 Gram	HT-100	20.4Kg	Full Metal	Alloy	T - Round	BRASS	730/50	670/65	435/80	320/0.56	275/0.61	230/0.71
1594605	SSVII 10500	Penn SpinFisher VII Reel	SS	5+1	4.2	1,094 Gram	HT-100	22.6Kg	Full Metal	Alloy	T - Round	BRASS	845/50	780/65	540/80	395/0.56	330/0.61	280/0.71



SPINFISHER VII LIVE LINER – SPINNING REEL SERIES

PENN SPINFISHER® VII LIVE LINER SPINNING REEL

The PENN® Spinfisher® VII Live Liner features IPX5 sealing so whether it gets hit with a wave, or you let it ride in the spray all the way home, you don't have to worry about saltwater getting into the gearbox or drag system.

Our HT-100 drag washers are housed in a fully sealed spool to give the stopping power needed for big saltwater fish. A Full Metal Body and sideplate keep the CNC Gear System in precise alignment under heavy loads.

The Live Liner feature is perfect for saltwater live baiting and freshwater free spool techniques.

PRODUCT SPECIFICATION

- **IPX5** Sealed body and spool design
- CNC Gear™ technology – all **brass main gear** across all sizes
- HT-100™ carbon fibre drag washers
- 5+1 sealed stainless steel ball bearing system
- Full Metal Body for added durability
- Superline Spool with Line Capacity Rings
- Live Liner System



	5+1 Shielded Stainless Steel Ball Bearings	CNC Gear Technology with Brass Main Gear	
IPX5 Sealed body and spool design			

SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	LINE RETRIEVE RATE	WEIGHT	DRAG TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	MAIN GEAR	BRAID LINE CAPACITY (M/LB)	MONO LINE CAPACITY (M/MM)
1594609	SSVII 2500LL Penn SpinFisher VII Reel	SS	5+1	6.2	84 CM	450 Gram	HT-100	6.8Kg	Full Metal	Alloy	T - Flat	BRASS	240/10 220/15 160/20	235/0.23 160/0.28 130/0.31
1594610	SSVII 4500LL Penn SpinFisher VII Reel	SS	5+1	6.2	102 CM	550 Gram	HT-100	9.0Kg	Full Metal	Alloy	T - Flat	BRASS	390/15 320/20 250/30	390/0.25 290/0.28 215/0.33
1594611	SSVII 6500LL Penn SpinFisher VII Reel	SS	5+1	5.6	107 CM	860 Gram	HT-100	13.6Kg	Full Metal	Alloy	T - Round	BRASS	485/30 410/40 335/50	355/0.33 315/0.36 185/0.38
1594612	SSVII 8500LL Penn SpinFisher VII Reel	SS	5+1	4.7	107 CM	1,050 Gram	HT-100	18.1Kg	Full Metal	Alloy	T - Round	BRASS	730/40 600/50 555/65	415/0.46 280/0.56 240/0.61



SPINFISHER VII LONG CAST – SPINNING REEL SERIES

PENN SPINFISHER® VII LONG CAST SPINNING REEL

The PENN Spinfisher VII features IPX5 sealing so whether it gets hit with a wave, or you let it ride in the spray all the way home, you don't have to worry about saltwater getting into the gearbox or drag system.

A Full Metal Body and side plate keep the CNC Gear System in precise alignment under heavy loads.

PRODUCT SPECIFICATION

- **IPX5** Sealed body and spool design
- CNC Gear™ technology – all **brass main gear** across all sizes
- HT-100™ carbon fibre drag washers
- 5+1 sealed stainless steel ball bearing system
- Full Metal Body for added durability
- Superline Spool with Line Capacity Rings
- Leveline Oscillation System



SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	MAIN GEAR	BRAID LINE CAPACITY (M/LB)	MONO LINE CAPACITY (M/MM)
1594606	SSVII 5500LC Penn SpinFisher VII Reel	SS	5+1	4.8	604 Gram	HT-100	9.1Kg	Full Metal	Alloy	T - Round	BRASS	450/15 380/20 265/30	325/0.28 285/0.30 200/0.36
1594607	SSVII 6500LC Penn SpinFisher VII Reel	SS	5+1	4.8	690 Gram	HT-100	9.1Kg	Full Metal	Alloy	T - Round	BRASS	620/20 430/30 355/40	450/0.31 335/0.36 300/0.38
1594608	SSVII 7500LC Penn SpinFisher VII Reel	SS	5+1	4.3	790 Gram	HT-100	11.3Kg	Full Metal	Alloy	T - Round	BRASS	850/20 590/30 490/40	590/0.31 440/0.36 395/0.38



BATTLE IV HS – SPINNING REEL SERIES

PENN Battle® IV High Speed Spinning Reel

The PENN® Battle® IV is stronger and more durable than ever before. The Battle® IV features our Hydro Armor sealing system that protects critical components no matter how harsh the conditions.

The Battle®IV combines our proprietary CNC Gear Technology, proven HT-100 carbon fiber drag system, and a Full Metal Body to deliver a reel built to withstand the force of big fish. Ranging in size from 1000 to 10000, the Battle IV series has a model for every angler.



PRODUCT SPECIFICATION

- CNC Gear Technology
- Hydro Armor system seals critical areas from water intrusion
- HT-100 carbon fiber drag washers
- 5+1 sealed stainless steel ball bearing system
- Line Capacity Rings
- Superline Spool
- Full Metal Body and sideplate



SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	NOB TYPE	MAIN & PINION GEAR	BRAID LINE CAPACITY	MONO LINE CAPACITY
1621731	BTLIV 4000HS	SS	5+1	7.1	362 Gram	HT-100	6.8Kg	Full Metal	Alloy	Round Knob	CNC ALLOY	20lb/295yrd : 0.29mm/270m	10lb/250yrd : 0.31mm/225m
1621734	BTLIV 6000HS	SS	5+1	6.1	589 Gram	HT-100	11.3Kg	Full Metal	Alloy	Round Knob	CNC BRASS	40lb/425yrd : 0.38mm/390m	20lb/250yrd : 0.46mm/230m
1621736	BTLIV 8000HS	SS	5+1	5.3	784 Gram	HT-100	13.6Kg	Full Metal	Alloy	Round Knob	CNC BRASS	65lb/420yrd : 0.46mm/385m	25lb/335yrd : 0.48mm/310m



BATTLE IV – SPINNING REEL SERIES

PENN Battle® IV Spinning Reel

The PENN® Battle® IV is stronger and more durable than ever before. The Battle® IV features our Hydro Armor sealing system that protects critical components no matter how harsh the conditions.

The Battle®IV combines our proprietary CNC Gear Technology, proven HT-100 carbon fiber drag system, and a Full Metal Body to deliver a reel built to withstand the force of big fish. Ranging in size from 1000 to 10000, the Battle IV series has a model for every angler.



PRODUCT SPECIFICATION

- CNC Gear Technology
- Hydro Armor system seals critical areas from water intrusion
- HT-100 carbon fiber drag washers
- 5+1 sealed stainless steel ball bearing system
- Line Capacity Rings
- Superline Spool
- Full Metal Body and sideplate



SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	MAIN & PINION GEAR	BRAID LINE CAPACITY	MONO LINE CAPACITY
1621726	BTLIV1000	SS	5+1	5.2	222 Gram	HT-100	4.1Kg	Full Metal	Alloy	I - Knob	CNC ALLOY	10lb/110yrd : 0.20mm/100m	6lb/110yrd : 0.20mm/130m
1621727	BTLIV2000	SS	5+1	6.2	267 Gram	HT-100	4.5Kg	Full Metal	Alloy	T - Knob	CNC ALLOY	10lb/180yrd : 0.23mm/165m	6lb/180yrd : 0.23mm/165m
1621744	BTLIV 2500AU	SS	5+1	6.2	274 Gram	HT-100	5.4Kg	Full Metal	Alloy	Round Knob	CNC ALLOY	15lb/220yrd : 0.25mm/200m	8lb/175yrd : 0.28mm/160m
1621745	BTLIV 3000AU	SS	5+1	6.2	330 Gram	HT-100	6.8Kg	Full Metal	Alloy	Round Knob	CNC ALLOY	20lb/180yrd : 0.29mm/165m	10lb/165yrd : 0.31mm/150m
1621746	BTLIV 4000AU	SS	5+1	6.2	347 Gram	HT-100	6.8Kg	Full Metal	Alloy	Round Knob	CNC ALLOY	20lb/260yrd : 0.29mm/240m	10lb/220yrd : 0.31mm/200m
1621732	BTLIV5000	SS	5+1	5.6	534 Gram	HT-100	11.3Kg	Full Metal	Alloy	Round Knob	CNC ALLOY	30lb/300yrd : 0.36mm/275m	15lb/200yrd : 0.38mm/185m
1621733	BTLIV6000	SS	5+1	5.6	589 Gram	HT-100	11.3Kg	Full Metal	Alloy	Round Knob	CNC BRASS	40lb/390yrd : 0.38mm/355m	20lb/230yrd : 0.46mm/210m
1621735	BTLIV8000	SS	5+1	4.7	786 Gram	HT-100	13.6Kg	Full Metal	Alloy	Round Knob	CNC BRASS	65lb/390yrd : 0.46mm/355m	25lb/310yrd : 0.48mm/285m
1621737	BTLIV10000	SS	5+1	4.2	1,101 Gram	HT-100	22.6Kg	Full Metal	Alloy	Round T - Knob	CNC BRASS	65lb/710yrd : 0.46mm/640m	40lb/330yrd : 0.61mm/300m



BATTLE IV DX – SPINNING REEL SERIES

PENN Battle® IV DX Spinning Reel

The PENN® Battle® IV DX is stronger and more durable than ever before. The Battle® IV DX features PENN's Hydro Armor sealing system that protects critical components no matter how harsh the conditions.

The Battle® IV DX is more powerful than the standard Battle® IV. The Battle® IV DX features brass main gears in every size, proven HT-100 carbon fiber drag system, and a Full Metal Body to deliver a reel built to withstand the force of big fish.

The oversized EVA handle knobs allow you to transfer more power through the gears to your big catch on the other end of the line.



PRODUCT SPECIFICATION

- CNC Gear Technology with brass main and pinion gear
- Hydro Armor system seals critical areas from water intrusion
- HT-100 carbon fiber drag washers
- 6+1 sealed stainless steel ball bearing system
- Line Capacity Rings
- Superline Spool
- Full Metal Body and sideplate



SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	MAIN & PINION GEAR	BRAID LINE CAPACITY	MONO LINE CAPACITY
1621738	BTLIV 2500DX	SS	6+1	6.2	282 Gram	HT-100	5.4Kg	Full Metal	Alloy	EVA Flat Knob	CNC MARINE BRASS	15lb/220yrd : 0.25mm/200m	8lb/175yrd : 0.28mm/160m
1621739	BTLIV 3000DX	SS	6+1	6.2	340 Gram	HT-100	6.8Kg	Full Metal	Alloy	EVA Round Knob	CNC MARINE BRASS	20lb/180yrd : 0.29mm/165m	10lb/165yrd : 0.31mm/150m
1621740	BTLIV 4000DX	SS	6+1	6.2	360 Gram	HT-100	6.8Kg	Full Metal	Alloy	EVA Round Knob	CNC MARINE BRASS	20lb/260yrd : 0.29mm/240m	10lb/220yrd : 0.31mm/200m
1621741	BTLIV 5000DX	SS	6+1	5.6	533 Gram	HT-100	11.3Kg	Full Metal	Alloy	EVA Round Knob	CNC MARINE BRASS	30lb/300yrd : 0.36mm/275m	15lb/200yrd : 0.38mm/185m
1621742	BTLIV 6000DX	SS	6+1	5.6	581 Gram	HT-100	11.3Kg	Full Metal	Alloy	EVA Round Knob	CNC MARINE BRASS	40lb/390yrd : 0.38mm/355m	20lb/230yrd : 0.46mm/210m
1621743	BTLIV 8000DX	SS	6+1	4.7	782 Gram	HT-100	13.6Kg	Full Metal	Alloy	EVA Round Knob	CNC MARINE BRASS	65lb/390yrd : 0.46mm/355m	25lb/310yrd : 0.48mm/285m



WRATH II – SPINNING REEL SERIES

PENN Wrath® II Spinning Reel

The PENN® Wrath® II was built around an affordable platform while emphasizing the legendary PENN® durability you've come to know.

Featuring a lightweight and corrosion resistant body with a machined and anodized aluminum spool, these reels will give you power you need when fishing anywhere from river to coast. The 2+1 shielded stainless steel bearing and instant anti-reverse provide a smooth and reliable gear system.

With all new cosmetics, and sizes ranging from 2500 to 8000, you'll be able to bring your Wrath® to anything with fins.

- Lightweight and corrosion-resistant graphite body
- 2 + 1 Stainless steel ball bearings
- Full time Instant Anti-Reverse bearing
- Machined and anodized aluminum spool
- Line capacity rings



SKU	REEL MODEL	BEARING TYPE	BEARING COUNT	GEAR RATIO	WEIGHT	BRAKE TYPE	MAX DRAG	FRAME & ROTOR	HANDLE	KNOB TYPE	BRAID LINE CAPACITY (M/LB)	MONO LINE CAPACITY (M/MM)
1596327	Warth II 2500C	SS	2+1	6.2	300 Gram	Fiber	4.5Kg	Graphite	Alloy	Alloy - T	240/10 220/15 160/20	235/0.23 160/0.28 130/0.31
1596328	Warth II 3000C	SS	2+1	6.2	350 Gram	Fiber	5.4Kg	Graphite	Alloy	Alloy - T	250/15 180/20 130/30	180/0.28 150/0.31 110/0.36
1596329	Warth II 4000C	SS	2+1	6.2	425 Gram	Fiber	6.8Kg	Graphite	Alloy	Alloy - T	360/15 260/20 185/30	245/0.28 200/0.31 150/0.36
1595356	Warth II 5000C	SS	2+1	5.6	595 Gram	Fiber	9.1Kg	Graphite	Alloy	Alloy - T Round	420/20 300/30 240/40	205/0.36 185/0.38 125/0.46
1595357	Warth II 6000C	SS	2+1	5.6	650 Gram	Fiber	9.1Kg	Graphite	Alloy	Alloy - T Round	490/30 390/40 335/50	305/0.38 210/0.46 190/0.48
1595358	Warth II 8000C	SS	2+1	5.3	860 Gram	Fiber	11.3Kg	Graphite	Alloy	Alloy - T Round	475/50 390/65 345/80	310/0.46 285/0.48 210/0.56



WRATH II ROD SERIES –EGING




PRODUCT SPECIFICATION

- **WRATH II COLLECTION SERIES - SPECIALTY ROD**
- **STRONG COMPOSITE BLANK**
- **BUILD ON HOOK KEEPER**
- **TITANIUM OXIDE GUIDE SYSTEM**
- **SINGLE FOOT K - GUIDE SYSTEM**

SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDES	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE	HANDLE GRIP TYPE	EGI SIZE	ROD BAG
1581620	Eging 802 - EGI 2.5-4	SPINNING	MEDIUM LIGHT	2 PC	8+1	140 Gram	FAST	8 FT / 2.44M	35CM	SPLIT	EVA	#2.5 - #4.0	NYLON



WRATH II ROD SERIES –BOAT



WRATH II ROD COLLECTION SERIES

HEAVY DUTY REEL SEAT

RUBBER GIMBAL BUTT

TITANIUM OXIDE GUIDE SYSTEM

DOUBLE FOOTED GUIDE SYSTEM

WHITE COLOR TIP


PRODUCT SPECIFICATION

- **WRATH II COLLECTION SERIES - SPECIALTY ROD**
- **STRONG COMPOSITE BLANK**
- **BUILD ON HOOK KEEPER**
- **TITANIUM OXIDE GUIDE SYSTEM**
- **DOUBLE FOOT K - GUIDE SYSTEM**

SKU	ROD MODEL	TYPE	ROD SECTION	GUIDES	ROD WEIGHT	ROD ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	DROP WEIGHT	ROD BAG
1581617	Boat 20-30lb 702	SPINNING	2PC MID JOINT	7+1	300 Gram	EXTRA FAST	7 FT / 2.13M	39CM	FULL	EVA	150G - 400G	NYLON
1581618	Boat 30-50lb 702	SPINNING	2PC MID JOINT	7+1	300 Gram	EXTRA FAST	7 FT / 2.13M	39CM	FULL	EVA	200G - 600G	NYLON



WRATH II ROD SERIES –BOAT SQUID



PRODUCT SPECIFICATION

- **WRATH II COLLECTION SERIES - SPECIALTY ROD**
- **3 PIECE MODEL – SOLID TIP**
- **STRONG COMPOSITE BLANK**
- **BUILD ON HOOK KEEPER**
- **TITANIUM OXIDE GUIDE SYSTEM**
- **K GUIDE SYSTEM**

SKU	ROD MODEL	TYPE	ROD SECTION	GUIDES	ROD WEIGHT	ROD ACTION	ROD LENGTH FULL	ROD LENGTH SPLIT	REAR	HANDLE TYPE	HANDLE GRIP TYPE	DROP WEIGHT	ROD BAG
1581640	Boat Squid 603 150g	BC	3PC	10+1	160 Gram	SOLID TIP	6 FT / 1.83M	71CM	40CM	SPLIT	EVA	50G - 150G	NYLON
1581619	Boat Squid 703 150g	SPINNING	3PC	11+1	185 Gram	SOLID TIP	7 FT / 2.13M	86 CM	39CM	SPLIT	EVA	50G - 150G	NYLON





BERKLEY BIGGAME-ROD SERIES

Berkley Big Game™ Spinning

The Berkley Big Game rod series is built for big fish. Strong fiberglass matched with durable components allow anglers to catch a wide range of freshwater and saltwater species, without breaking the budget.


- Fiberglass Blank Construction
- Stainless Steel Guide Frames with Titanium Oxide Inserts
- Full EVA Handles



SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDES	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT	LURE WEIGHT	ROD BAG
1121419	BGS 702 M	SPINNING	MEDIUM	2PC	5+1	280 Gram	MEDIUM	7 FT	29CM	FULL	EVA	10 - 20 LB	1/2oz - 3oz : 14g - 84g	No
1121420	BGS 802 MH	SPINNING	MEDIUM HEAVY	2PC	5+1	370 Gram	MEDIUM	8 FT	29CM	FULL	EVA	12 - 30 LB	1oz - 4oz : 28g - 112g	No
1631208	BGS 902 HA/24	SPINNING	HEAVY	2PC	6+1	390 Gram	MEDIUM	9 FT	30CM	FULL	EVA	15 - 30 LB	20g - 90g	No
1631389	BGS 1002 HA/24	SPINNING	HEAVY	2PC	6+1	440 Gram	MEDIUM	10 FT	29CM	FULL	EVA	15 - 30 LB	20g - 90g	No



BERKLEY CUTTLEFISH – EGI ROD SERIES



PRODUCT SPECIFICATION

- NEW EGI ROD SERIES BY BERKLEY MALAYSIA
- SUPER SLIM EVA WITH SPLIT HANDLE DESIGN
- SINGLE K – GUIDE SYSTEM
- AVAILABLE IN 2 ACTION

SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (PE)	EGI SIZE	ROD BAG
1538177	CF S802 LTH(20)	SPINNING	LIGHT	2PC	CHINA K	7+1	140 Gram	FAST	8 FT	30.5CM	SPLIT	EVA	0.6 - 1.5	#1.5 - #2.5	NYLON
1538178	CF S802 MLTH(20)	SPINNING	MEDIUM LIGHT	2PC	CHINA K	7+1	145 Gram	FAST	8 FT	30.5CM	SPLIT	EVA	0.8 - 2.0	#2.5 - #3.5	NYLON




BERKLEY LIGHTNING HT II –TELESCOPIC ROD SERIES



AVAILABLE IN 3 LENGTH



24 TON HIGH DENSITY CARBON MATERIAL




CARBON FIBER PRINTED REEL SEAT



TELESCOPIC BUTT



SUPER LIGHT WEIGHT STAINLESS STEEL GUIDES



ULTRA SLIM TIP

PRODUCT SPECIFICATION

- 24HDC CARBON MATERIAL
- BLANK ACTION : MODERATE – FAST (PROGRESSIVE)
- SUPER LIGHT WEIGHT STAINLESS STEEL MINIMA GUIDES
- DPS REEL SEAT
- FULL CORK GRIP DESIGN
- RECOMMENDED LURE TYPE : SPINNERS, SPOONS & WOBBLER SPOONS
- RECOMMENDED TECHNIQUE : **STRAIGHT RETRIEVE**
- AVAILABLE IN 3 LENGTH

SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	FULL LENGTH	KEEPING LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LURE WEIGHT	ROD BAG
1590434	T-7ft L 2-10g TELESCOPIC	SPINNING	LIGHT	6 SEC	S.S.	4+1	120 Gram	MODERATE - FAST	7 FT / 213CM	48CM	29CM	FULL	CORK	2G-10G	NYLON
1590435	T-8ft ML 3-15g TELESCOPIC	SPINNING	MEDIUM LIGHT	7 SEC	S.S.	5+1	140 Gram	MODERATE - FAST	8 FT / 244CM	50CM	29CM	FULL	CORK	3G-15G	NYLON
1590436	T-9ft M 7-28g TELESCOPIC	SPINNING	MEDIUM	7 SEC	S.S.	6+1	180 Gram	MODERATE - FAST	9 FT / 274CM	52CM	30CM	FULL	CORK	7g - 28g	NYLON



YOUR FISH. OUR SCIENCE.™

FIRELINE ICE 45M

FIRELINE® PONY SPOOL

New and improved FireLine® is smoother, tougher, and more sensitive! 8-strand fused technology provides unmatched abrasion resistance making it 5X's tougher than conventional braided lines. It has a smoother, more supple feel for a longer casting FireLine®!

FEATURE

- 5X More Abrasion Resistant than leading competitive conventional braids
- Fused 8 Strand Superline provides Unmatched toughness and Abrasion Resistance
- Smooth casting and incredibly sensitive



SKU	MODEL	LENGTH	LINE TEST	LINE DIAMETER	COLOR
1543462	BUFLPS2-CY	45M / 50YRD	2LB / 0.9KG	0.07MM	CRYSTAL
1543463	BUFLPS3-CY	45M / 50YRD	3LB / 1.3KG	0.10MM	CRYSTAL





CHOPPO – 90mm / 105mm / 125mm

YOUR FISH. OUR SCIENCE.

PRODUCT SPECIFICATION

- Easy-to-use top water lure
- Durable, cupped propeller tail
- Enhanced propeller surface area for maximum surface disturbance
- Swims straight at a variety of speeds
- Equipped with sharp Fusion19 hooks



BLACK CHROME



PERFECT GHOST



BONE



GHOST WHITE



MF Frog

SKU	MODEL	COLOR	LENGTH	LURE TYPE	WEIGHT
1487258	BHBCP90-BKCH	BLACK CHROME	90 MM	TOP WATER	15 GRAM
1487253	BHBCP90-BNE	BONE	90 MM	TOP WATER	15 GRAM
1487255	BHBCP90-GHW	GHOST WHITE	90 MM	TOP WATER	15 GRAM
1487259	BHBCP90-MFF	MF FROG	90 MM	TOP WATER	15 GRAM
1487254	BHBCP90-PGH	PERFECT GHOST	90 MM	TOP WATER	15 GRAM
1500762	BHBCP105-BKCH	BLACK CHROME	105 MM	TOP WATER	21 GRAM
1500757	BHBCP105-BNE	BONE	105 MM	TOP WATER	21 GRAM
1500759	BHBCP105-GHW	GHOST WHITE	105 MM	TOP WATER	21 GRAM
1500763	BHBCP105-MFF	MF FROG	105 MM	TOP WATER	21 GRAM
1500758	BHBCP105-PGH	PERFECT GHOST	105 MM	TOP WATER	21 GRAM
1487268	BHBCP120-BKCH	BLACK CHROME	120 MM	TOP WATER	28 GRAM
1487263	BHBCP120-BNE	BONE	120 MM	TOP WATER	28 GRAM
1487265	BHBCP120-GHW	GHOST WHITE	120 MM	TOP WATER	28 GRAM
1487269	BHBCP120-MFF	MF FROG	120 MM	TOP WATER	28 GRAM
1487264	BHBCP120-PGH	PERFECT GHOST	120 MM	TOP WATER	28 GRAM



YOUR FISH. OUR SCIENCE.™

CANE WALKER – 125mm

Berkley Cane Walker

Ideal for calling fish up or situations with a slight chop, the Berkley® Cane Walker delivers the most surface disturbance of any Berkley® top water lure. With a loud rattling chamber, spitting cup, and long-distance casting ability, the Berkley® Cane Walker is sure to get their attention.

Justin Lucas Pro Tip: Ideal for making long casts around schooling fish that can be hard to reach with other top waters.

PRODUCT SPECIFICATION

- Heavy tail weight for **long-distance casting**
- Lively **side-to-side action** with minimal effort
- **Popper mouth** that spitter while in action
- Aggressive **sound and rattling** for added attraction
- Equipped with **sharp Fusion19 hooks**



BONE



OLIVE SHAD



GHOST WHITE



CHROME



BLUE BULLET



MAVERICK

SKU	MODEL	COLOR	LENGTH	LURE TYPE	WEIGHT
1487191	BHBCW125-BNE	BONE	125mm	TOP WATER	24 GRAM
1487194	BHBCW125-OLS	OLIVE SHAD	125mm	TOP WATER	24 GRAM
1487195	BHBCW125-GHW	GHOST WHITE	125mm	TOP WATER	24 GRAM
1487198	BHBCW125-CHR	CHROME	125mm	TOP WATER	24 GRAM
1487199	BHBCW125-BBUL	BLUE BULLET	125mm	TOP WATER	24 GRAM
1487200	BHBCW125-MAV	MAVERICK	125mm	TOP WATER	24 GRAM




CROSS-LOK SNAP SWIVEL

ESSENTIALS

BERKLEY® ESSENTIALS CROSS-LOK SNAP SWIVEL

When it comes to terminal tackle, we can sum up our performance in just one word - strength. Berkley® components can handle the toughest tests.

- Berkley design super strong Cross-Lok ®
- Super strong & smooth rolling swivels helps to minimize line twist
- Nickle black coated



SKU	MODEL	LENGTH	LB TEST	QTY/PACK	COLOR
1419778	6 Berkley Essential Cross-Lok Snap Swivel-4pc	50MM	180LB	4	NICKEL BLACK
1419779	5 Berkley Essential Cross-Lok Snap Swivel-5pc	40MM	140LB	5	NICKEL BLACK
1419780	4 Berkley Essential Cross-Lok Snap Swivel-6pc	35MM	100LB	6	NICKEL BLACK
1419781	3 Berkley Essential Cross-Lok Snap Swivel-7pc	30MM	80LB	7	NICKEL BLACK
1419782	2 Berkley Essential Cross-Lok Snap Swivel-7pc	25MM	40LB	7	NICKEL BLACK
1419783	1 Berkley Essential Cross-Lok Snap Swivel-7pc	20MM	20LB	7	NICKEL BLACK



YOUR FISH. OUR SCIENCE.™

BALL BEARING CROSS-LOK® SNAP SWIVELS

BERKLEY BALL BEARING CROSS-LOK® SNAP SWIVELS

When it comes to terminal tackle, we can sum up our performance in just one word - strength. Berkley® components can handle the toughest tests.

- Berkley design super strong Cross-Lok ®
- Super strong & smooth rotating ball bearing swivels helps to minimize line twist
- Welded rings
- Nickel Chrome finish



SKU	MODEL	LENGTH	LB TEST	QTY/PACK	COLOR
1280539	2 Berkley McMahon BB with Snap/Swivel Nickel	25MM	25LB	3	NICKEL CROME
1280540	3 Berkley McMahon BB with Snap/Swivel Nickel	35MM	30LB	3	NICKEL CROME
1280541	4 Berkley McMahon BB with Snap/Swivel Nickel	50MM	100LB	2	NICKEL CROME
1280542	5 Berkley McMahon BB with Snap/Swivel Nickel	60MM	175LB	2	NICKEL CROME



NYLON COATED WIRE LEADERS

ESSENTIALS

BERKLEY® ESSENTIALS NYLON COATED WIRE LEADERS

When it comes to terminal tackle, we can sum up our performance in just one word - strength. Berkley® components can handle the toughest tests.

- Berkley design super strong Cross-Lok ® Snap
- Super strong & smooth rolling swivels helps to minimize line twist
- Tough, nylon coated stainless steel wire
- Nickel black coated



SKU	MODEL	LENGTH	LB TEST	QTY/PACK	COLOR
1419786	9inch 20lb Essentials Wire Leader	9" / 23cm	20lb	3	BLACK
1419787	9inch 30lb Essentials Wire Leader	9" / 23cm	30lb	3	BLACK
1419788	12inch 20lb Essentials Wire Leader	12" / 30.5cm	20lb	3	BLACK
1419789	12inch 30lb Essentials Wire Leader	12" / 30.5cm	30lb	3	BLACK
1419790	12inch 45lb Essentials Wire Leader	12" / 30.5cm	45lb	3	BLACK
1419791	18inch 30lb Essentials Wire Leader	18" / 46cm	30lb	3	BLACK
1419792	18inch 45lb Essentials Wire Leader	18" / 46cm	45lb	3	BLACK

SPIDERWIRE®



SpiderWire Ultracast® Invisi – Braid

The best of SpiderWire® performance will be found in Ultracast®! Made from 8 tightly woven 100% PE fibers, Ultracast effortlessly casts long distance while providing high strength and abrasion resistance, giving you the ultimate performance fishing line!

- Smooth 8 fiber braid for **extremely long casts**
- Cold-fusion process creates **High abrasion resistance**
- High strength per diameter for increased confidence in all fishing applications!
- Translucent body almost invisible in water!
- Made in U.S.A



SKU	MODEL	LENGTH	LINE TEST	LINE DIAMETER	COLOR
1507521	SUCFS4-IB	150M / 164YRD	4LB / 1.8KG	0.05MM	TRANSLUCENT WHITE
1507522	SUCFS6-IB	150M / 164YRD	6LB / 2.7KG	0.07MM	TRANSLUCENT WHITE
1507523	SUCFS8-IB	150M / 164YRD	8LB / 3.6KG	0.09MM	TRANSLUCENT WHITE
1507524	SUCFS10-IB	150M / 164YRD	10LB / 4.5KG	0.11MM	TRANSLUCENT WHITE
1507525	SUCFS15-IB	150M / 164YRD	15LB / 6.8KG	0.13MM	TRANSLUCENT WHITE
1507526	SUCFS20-IB	150M / 164YRD	20LB / 9.1KG	0.15MM	TRANSLUCENT WHITE
1507527	SUCFS30-IB	150M / 164YRD	30LB / 13.6KG	0.19MM	TRANSLUCENT WHITE
1507528	SUCFS40-IB	150M / 164YRD	40LB / 18.1KG	0.23MM	TRANSLUCENT WHITE

SpiderWire Ultracast® Aqua-Camo

The best of SpiderWire® performance will be found in Ultracast®! Made from 8 tightly woven 100% PE fibers, Ultracast effortlessly casts long distance while providing high strength and abrasion resistance, giving you the ultimate performance fishing line!

- Smooth 8 fiber braid for **extremely long casts**
- Cold-fusion process creates **High abrasion resistance**
- High strength per diameter for increased confidence in all fishing applications!
- Aqua Camo is the angler's "high-vis" camo color option ideal for line watchers giving you the best chance to see every strike and catch every fish!
- **MADE IN U.S.A**



SKU	MODEL	LENGTH	LINE TEST	LINE DIAMETER	COLOR
1507487	SUCFS8-AQC	150M / 164YRD	8LB / 3.6KG	0.09MM	CAMOURFLAGE TURQUOISE
1507488	SUCFS10-AQC	150M / 164YRD	10LB / 4.5KG	0.11MM	CAMOURFLAGE TURQUOISE
1507489	SUCFS15-AQC	150M / 164YRD	15LB / 6.8KG	0.13MM	CAMOURFLAGE TURQUOISE
1507490	SUCFS20-AQC	150M / 164YRD	20LB / 9.1KG	0.15MM	CAMOURFLAGE TURQUOISE
1507491	SUCFS30-AQC	150M / 164YRD	30LB / 13.6KG	0.19MM	CAMOURFLAGE TURQUOISE
1507492	SUCFS40-AQC	150M / 164YRD	40LB / 18.1KG	0.23MM	CAMOURFLAGE TURQUOISE



**Ugly
Stik[®]**



America's favorite rod just got better! Ugly Stik® GX2 is the next generation of Ugly Stik® that combines the heritage and tradition of the original while maintaining the strength and durability Ugly Stik® is known for. Ugly Stik® GX2 travel rods offer improved components for added durability and increased sensitivity with eye-catching cosmetics.

PRODUCT SPECIFICATION

- Ugly Stik® Clear Tip® design
- Ugly Tech Construction with a combination of graphite and fiberglass to create a strong, yet sensitive rod
- PVD coated Ugly Tuff one-piece stainless-steel guides with smooth hard coating reduces line fray
- UglyTuff Grip
- Ergonomic reel seat with exposed blank allows for better hand feel and increased sensitivity
- Alignment markings for easy sighting when putting together



SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	ROD BAG
1611386	USGXSP 503 L Uglystik GX2 Travel Rod	SPINNING	LIGHT	3PC	SINGLE	4+1	146 GRAM	MEDIUM	5 FT / 1.52M	15CM	FULL	EVA / WRAP	4 - 10LB	NO
1611387	USGXSP 604 M Uglystik GX2 Travel Rod	SPINNING	MEDIUM	4PC	SINGLE	5+1	196 GRAM	MEDIUM	6 FT / 1.83M	21CM	FULL	EVA / WRAP	6 - 15LB	NO
1611388	USGXSP 664 M Uglystik GX2 Travel Rod	SPINNING	MEDIUM	4PC	SINGLE	5+1	228 GRAM	MEDIUM	6.6 FT / 1.98M	21CM	FULL	EVA / WRAP	6 - 15LB	NO
1622427	USGXSP 704 M Uglystik GX2 Travel Rod	SPINNING	MEDIUM	4PC	SINGLE	5+1	228 GRAM	MEDIUM	7 FT / 2.13M	21CM	FULL	EVA / WRAP	6 - 15LB	NO



2024_GX2 SPINNING ROD SERIES



America’s favorite rod just got better! Ugly Stik® GX2 is the next generation of Ugly Stik® that combines the heritage and tradition of the original while maintaining the strength and durability Ugly Stik® is known for. Ugly Stik® GX2 rods offer improved components for added durability and increased sensitivity with eye-catching cosmetics.

SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	ROD BAG
1611366	USGXSP 461 UL Uglystik GX2 UL Rod	SPINNING	ULTRA LIGHT	1PC	SINGLE	4+1	130 GRAM	MEDIUM	4.6 FT / 1.37M	15CM	FULL	EVA / WRAP	2 - 6LB	NO
1611367	USGXSP 481 UL Uglystik GX2 UL Rod	SPINNING	ULTRA LIGHT	1PC	SINGLE	4+1	133 GRAM	MEDIUM	4.8 FT / 1.42M	15CM	FULL	EVA / WRAP	2 - 6LB	NO
1611369	USGXSP 501 UL Uglystik GX2 UL Rod	SPINNING	MEDIUM	1PC	SINGLE	4+1	145 GRAM	MEDIUM	5 FT / 1.52M	16CM	FULL	EVA / WRAP	2 - 6LB	NO
1611370	USGXSP 502 UL Uglystik GX2 UL Rod	SPINNING	ULTRA LIGHT	2PC	SINGLE	4+1	143 GRAM	MEDIUM	5 FT / 1.52M	16CM	FULL	EVA / WRAP	2 - 6LB	NO
1611383	USGXSP 702 UL Uglystik GX2 UL Rod	SPINNING	ULTRA LIGHT	2PC	SINGLE	5+1	183 GRAM	MEDIUM	7 FT / 2.13M	22CM	FULL	EVA / WRAP	2 - 6LB	NO
1611368	USGXSP 491 H Uglystik GX2 Rod-1pc	SPINNING	HEAVY	1PC	DOUBLE	4+1	169 GRAM	MEDIUM	4.9 FT / 1.45M	16CM	FULL	EVA / WRAP	8 - 20LB	NO
1611372	USGXSP 5101 M Uglystik GX2 Rod-1pc	SPINNING	MEDIUM	1PC	SINGLE	5+1	180 GRAM	MEDIUM	5.10 FT / 1.78M	22CM	FULL	EVA / WRAP	6 - 15LB	NO
1611375	USGXSP 601 MH Uglystik GX2 Rod-1pc	SPINNING	MEDIUM HEAVY	1PC	SINGLE	5+1	228 GRAM	MEDIUM	6 FT / 1.83M	27CM	FULL	EVA / WRAP	8 - 20LB	NO
1611371	USGXSP 562 L Uglystik GX2 Rod	SPINNING	LIGHT	2PC	SINGLE	5+1	162 GRAM	MEDIUM	5.6 FT / 1.68M	16CM	FULL	EVA / WRAP	6 - 15LB	NO
1611373	USGXSP 5102 M Uglystik GX2 Rod	SPINNING	MEDIUM	2PC	SINGLE	5+1	200 GRAM	MEDIUM	5.10 FT / 1.78M	21CM	FULL	EVA / WRAP	6 - 15LB	NO
1611374	USGXSP 602 L Uglystik GX2 Rod	SPINNING	LIGHT	2PC	SINGLE	5+1	166 GRAM	MEDIUM	6 FT / 1.83M	21CM	FULL	EVA / WRAP	4 - 10LB	NO
1611377	USGXSP 602 M Uglystik GX2 Rod	SPINNING	MEDIUM	2PC	SINGLE	5+1	188 GRAM	MEDIUM	6 FT / 1.83M	21CM	FULL	EVA / WRAP	6 - 15LB	NO
1611379	USGXSP 662 L Uglystik GX2 Rod	SPINNING	LIGHT	2PC	SINGLE	5+1	177 GRAM	MEDIUM	6.6 FT / 1.98M	21CM	FULL	EVA / WRAP	4 - 10LB	NO
1611380	USGXSP 662 M Uglystik GX2 Rod	SPINNING	MEDIUM	2PC	SINGLE	5+1	211 GRAM	MEDIUM	6.6 FT / 1.98M	21CM	FULL	EVA / WRAP	6 - 15LB	NO
1611384	USGXSP 702 M Uglystik GX2 Rod	SPINNING	MEDIUM	2PC	SINGLE	5+1	219 GRAM	MEDIUM	7 FT / 2.13M	22CM	FULL	EVA / WRAP	6 - 15LB	NO
1611385	USGXSP 902 M Uglystik GX2 Rod	SPINNING	MEDIUM	2PC	SINGLE	7+1	263 GRAM	MEDIUM	9 FT / 2.74M	34CM	FULL	EVA / WRAP	4 - 20LB	NO



America's favorite rod just got better! Ugly Stik® GX2 is the next generation of Ugly Stik® that combines the heritage and tradition of the original while maintaining the strength and durability Ugly Stik® is known for. Ugly Stik® GX2 rods offer improved components for added durability and increased sensitivity with eye-catching cosmetics.



SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	STRIPPER GUIDE	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	ROD BAG
1611332	USGXCA P561M Uglystik GX2 Cast Rod-1pc	CASTING	MEDIUM	1PC	DOUBLE	SINGLE	5+1	140 GRAM	MEDIUM	5.6 FT / 1.68M	11CM	FULL	PISTOL / EVA	8 - 20LB	NO
1611334	USGXCA 601 M Uglystik GX2 Cast Rod-1pc	CASTING	MEDIUM	1PC	DOUBLE	SINGLE	6+1	183 GRAM	MEDIUM	6 FT / 1.83M	20CM	FULL	EVA / WRAP	8 - 20LB	NO
1611335	USGXCA 601 MH Uglystik GX2 Cast Rod-1pc	CASTING	MEDIUM HEAVY	1PC	DOUBLE	SINGLE	6+1	217 GRAM	MEDIUM	6 FT / 1.83M	20CM	FULL	EVA / WRAP	10 - 25LB	NO
1611360	USGXCA 661 H Uglystik GX2 Cast Rod-1pc	CASTING	HEAVY	1PC	DOUBLE	DOUBLE	6+1	313 GRAM	MEDIUM	6.6 FT / 1.98M	31CM	FULL	EVA / WRAP	20 - 50LB	NO
1611333	USGXCA 562 M Uglystik GX2 Cast Rod	CASTING	MEDIUM	2PC	DOUBLE	SINGLE	5+1	148 GRAM	MEDIUM	5.6 FT / 1.68M	13CM	FULL	EVA / WRAP	6 - 12LB	NO
1611336	USGXCA 602 M Uglystik GX2 Cast Rod	CASTING	MEDIUM	2PC	DOUBLE	SINGLE	5+1	159 GRAM	MEDIUM	6 FT / 1.83M	13CM	FULL	EVA / WRAP	6 - 12LB	NO
1611359	USGXCA 662 MH Uglystik GX2 Cast Rod	CASTING	MEDIUM HEAVY	2PC	DOUBLE	SINGLE	6+1	214 GRAM	MEDIUM	6.6 FT / 1.98M	26.5CM	FULL	EVA / WRAP	10 - 25LB	NO
1611363	USGXCA 702 ML Uglystik GX2 Cast Rod	CASTING	MEDIUM LIGHT	2PC	DOUBLE	SINGLE	7+1	257 GRAM	MEDIUM	7 FT / 2.13M	26.5CM	FULL	EVA / WRAP	8 - 20LB	NO
1611364	USGXCA 702 M Uglystik GX2 Cast Rod	CASTING	MEDIUM	2PC	DOUBLE	SINGLE	7+1	219 GRAM	MEDIUM	7 FT / 2.13M	26.5CM	FULL	EVA / WRAP	8 - 20LB	NO



Ugly Stik® GX2 is the next generation of Ugly Stik® that combines the heritage and tradition of the original while maintaining the strength and durability Ugly Stiks are known for. Ugly Stik® GX2 rods offer better balance for lighter feel, improved components, and eye-catching cosmetics for a more modern look.

PRODUCT SPECIFICATION

- Ugly Stik® Clear Tip® design
- Ugly Tech Construction with a combination of graphite and fiberglass to create a strong, yet sensitive rod
- PVD coated Ugly Tuff one-piece stainless-steel guides with smooth hard coating reduces line fray
- Shrink tube handle for added durability and better grip
- Ergonomic reel seat with exposed blank allows for better hand feel and increased sensitivity



SKU	ROD MODEL	TYPE	ROD ACTION	ROD SECTION	GUIDE TYPE	GUIDE QTY	ROD WEIGHT	TIP ACTION	ROD LENGTH	REAR HANDLE	HANDLE STYLE	HANDLE GRIP TYPE	LINE WEIGHT (LB)	ROD BAG
1611406	USGXSP ICE26 L Uglystik GX2 Ice Rod	SPINNING	LIGHT	1PC	SINGLE	3+1	96 Gram	MEDIUM	26IN / 66CM	7.5CM	FULL	EVA / WRAP	2 - 6LB	NO
1611407	USGXSP ICE28 M Uglystik GX2 Ice Rod	SPINNING	MEDIUM	1PC	SINGLE	3+1	96 Gram	MEDIUM	28IN / 72CM	7.5CM	FULL	EVA / WRAP	4 - 8LB	NO
1611408	USGXSP ICE30 MH Uglystik GX2 Ice Rod	SPINNING	MEDIUM HEAVY	1PC	SINGLE	4+1	96 Gram	MEDIUM	30IN / 78CM	7.5CM	FULL	EVA / WRAP	6 - 10LB	NO